# **LUBRICIT SSO-H**

Revision Date: May 26, 2015

Version: 1.1 Page 1 of 7

#### 1 - Product and Company Identification

Product name: Lubricit SSO-H

Product type/usage/industry: Sorbitan Sesquioleate

Emulsifier/Formulation additive

Manufacturer/Supplier Information: Zschimmer and Schwarz, Inc.

70 GA Hwy. 22 W Milledgeville, GA 31061 Phone: (478) 454-1942

Emergency contact: Company: (478) 454-1942

**CHEMTREC (24HR):** (800) 424-9300

#### 2 - Hazards Identification

<u>Classification of the substance or mixture:</u> Classification of this substance/mixture is based on

29 CFR 1910.1200/HazCom 2012 (GHS-US)

Not classified

**Labelling:** 

Signal Word: Hazard Symbols:

None None

**Precautionary Statements:** P262: Do not get in eyes, on skin, or on clothing.

P302+352: IF ON SKIN: Wash with plenty of soap and water. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue

rinsing.

P314: Get medical advice/attention if you feel unwell.

**Key to Hazard Categories:** 

1=Severe Hazard 2=Serious Hazard 3=Moderate Hazard 4=Slight Hazard 5=Minimal Hazard

#### 3 - Composition/Information on Ingredients

CAS NumberMaterial or componentAvg % weight8007-43-0Sorbitan sesquioleate~100%

This is not intended to be a complete compositional disclosure. Information provided pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200/ HazCom 2012). See Section 8 for Exposure Limits, if any.

### LUBRICIT SSO-H

Revision Date: May 26, 2015

Version: 1.1 Page 2 of 7

4 - First Aid Measures

Eyes: Immediately flush with gentle but large stream of water for 15 min, lifting upper and lower eyelids occasionally.

Get medical attention if irritation develops.

**Skin:** Wash affected area with soap and water. If itching or redness develops, seek medical attention. Contaminated

clothing should be removed immediately and washed before reuse. Contaminated shoes should be discarded.

**Inhalation:** Move the person to fresh air. If breathing becomes difficult, contact a physician.

Ingestion: Do not induce vomiting. If large amounts were swallowed, give water to rinse mouth and get medical attention if

you feel unwell.

5 - Firefighting Measures

**Extinguishing Media:** Water spray, dry chemical, alcohol foam, or carbon dioxide.

Unsuitable Extinguishing Media: None known.

Special Protective Equipment for

Firefighters:

Self-contained breathing apparatus and protective clothing when fighting any

chemical fire.

**Unusual Fire & Explosion Hazards:** In case of fire, containers may explode from internal pressure. Cool with water.

May emit toxic fumes of CO and CO<sub>2</sub> under fire conditions.

6 - Accidental Release Measures

Personal precautions: Keep away from heat/sparks/open flames/hot surfaces – No smoking

Avoid breathing mists of product. Do not get in eyes, on skin, or on clothing. Wash

thoroughly after handling. Wear protective gloves/eye protection.

**Environmental precautions:** P273: Avoid release to the environment

Limit leakage with earth or sand. Do not discharge into the drains/surface

water/groundwater. Dispose of absorbed material in accordance with local, state

and federal regulations.

**Methods for Containment/Cleaning Up:** Take up with absorbent material (e.g. vermiculite, general purpose binder).

Dispose of absorbed material in accordance with local, state, and federal

regulations.

7 - Handling and Storage

Handling: P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking

P261: Avoid breathing mists of product

P262: Do not get in eyes, on skin, or on clothing

P264: Wash thoroughly after handling P280: Wear protective gloves/eye protection

**Storage:** P402+404: Store in a dry place. Store in a closed container

P403+233: Store in a well ventilated place. Keep container tightly closed

Protect from moisture.

Special Packaging Requirements: None known.

Incompatible Materials or Fire/Explosion

Protection:

P210: Keep away from heat/sparks/open flames/hot surfaces - No smoking

Strong oxidizers.

# **LUBRICIT SSO-H**

Revision Date: May 26, 2015

Version: 1.1 Page 3 of 7

#### 8 - Exposure Controls/Personal Protection

Personal Protective Equipment (PPE):

**Hand Protection:** Use impervious gloves.

**Eye Protection:** Wear safety glasses with side shields.

**Skin Protection:** Wear protective clothing.

Recommended if ventilation is limited. **Respiratory Protection:** 

**Engineering Measures/Controls:** 

Ventilation: Ensure adequate ventilation to maintain product at acceptable airborne levels.

Other measures: Eye-wash station.

**Exposure Limits/Guidelines:** 

CAS# **BASIS TYPE VALUE Material** 

None

#### 9 - Physical and Chemical Properties

Clear to slightly hazy, yellow to Form and Appearance:

N/D

amber liquid

pH:

N/A **Odor Threshold:** N/D

Odor:

**Boiling Point:** > 572°F (300°C) (lit.) Melting/Freezing point: ~3°F (-16°C) (pour pt.)

Sweet

N/D

< 0.01

**Vapor Pressure:** < 0.01 mmHg @ 20°C Flash Point: > 300°F (149°C) (COC)

UEL:

**Evaporation Rate:** LEL: N/D

Viscosity:

~ 1000 cps @ 25°C Solubility in Water: Insoluble

Octanol/Water Partition

Specific Gravity/ ~ 1.0 @ 25°C

Vapor Density (Air=1):

Coefficient:

**Bulk Density:** 

**Auto-ignition temperature:** N/D Decomposition N/D Temperature:

Volatile content: < 0.1% VOC Data: N/D

#### 10 - Stability and Reactivity

**Chemical Stability:** Product is stable under ordinary conditions of use and storage.

**Hazardous Polymerization:** Will not occur.

**Conditions to Avoid:** Exposure to moist air or water, extreme heat, sources of ignition.

**Incompatible Materials:** Strong oxidizers.

**Hazardous Decomposition Products:** Extremely high temperatures and thermal decomposition may produce CO<sub>x</sub>.

**Target Organ Effects:** 

# **LUBRICIT SSO-H**

Revision Date: May 26, 2015

Version: 1.1 Page 4 of 7

11 - Toxicological Information											
Acute Data: Principle Routes of Exposure: Eye contact, skin contact, ingestion, inhalation (mist).											
Acute Toxicity											
Route of exposure:	Test type:	Species:	Results:	Comments:							
Oral	LD50	Rat	>39,800 mg	g/kg -							
Irritation and Corrosic	<u>on</u>										
Target organ:	Species:	Results:		Comments:							
Eyes	Rabbit	Non-irritatir	ng	-							
Skin	Rabbit	Non-irritatir	ng	-							
Sensitization											
Target organ:	Species:	Results:		Comments:							
Skin	Human	No effects l	known	-							
Specific Target Organ											
Target organ:	Species:	Results:		Comments:							
None				-							
<b>Chronic Data:</b>											
Carcinogenicity											
IARC	NTP		ACGIH	OSHA							
No	No		No	No							
Mutagenicity:		No effects									
Reproductive Effects:		No effects									

NDA

# **LUBRICIT SSO-H**

Revision Date: May 26, 2015

Version: 1.1 Page 5 of 7

#### 12 - Ecological Information

**Acute Aquatic Toxicity** 

Species: Test type: Exposure time: Results: Comments:

Rainbow trout LC50 96h >1000 mg/l No toxicity reported for any

organisms at water solubility

limit.

**Environmental Fate** 

Persistence/Degradability: Product is readily biodegradable.

62% in 28d

COD/BOD5: NDA
Bioaccumulation Potential: Low.
Mobility in Soil: Moderate.
Other Adverse Effects: NDA

#### 13 - Disposal Considerations

**Product:** Dispose of absorbed material/content and/or container in accordance with local,

state, federal and/or international regulations.

Packaging: NDA

# **LUBRICIT SSO-H**

Revision Date: May 26, 2015

Version: 1.1 Page 6 of 7

#### 14 - Transport Regulations

#### **US DOT Regulations (Land Transport):**

Proper Shipping Name:

Hazard Class:

UN Number:

Packing Group:

Label Required:

Other Information:

Not regulated.

Not regulated.

Not regulated.

Not regulated.

Not regulated.

#### IATA/ICAO Regulations (Air Transport):

Proper Shipping Name:
Not regulated.
Hazard Class:
Not regulated.
UN Number:
Not regulated.
Packing Group:
Not regulated.
Not regulated.
Other Information:
Not regulated.

#### IMDG/IMO Regulations (Maritime Transport):

**Proper Shipping Name:** Not regulated. **Hazard Class:** Not regulated. **UN Number:** Not regulated. **Packing Group:** Not regulated. **Label Required:** Not regulated. **EMS Number:** Not regulated. Segregation Groups: Not regulated. Marine Pollutant (Y/N): Not regulated. Other Information: Not regulated.

### **LUBRICIT SSO-H**

Revision Date: May 26, 2015

Version: 1.1 Page 7 of 7

#### 15 - Regulatory Information

**Domestic Regulations** 

Components requiring notification

SARA 302 (TPQ) SARA 304 (RQ) SARA 313 CERCLA (RQ) CAA 112(b) HAPS CAA 112(r)

None None None None None

SARA 311/312 Hazard Categorization: None

**State Information** 

California Proposition 65: May contain traces (< 100 ppm) of the following components known to the State of

California to cause cancer, birth defects, or other reproductive harm.

None.

State Right to Know/ Hazardous Substance List Information: The following chemicals are present on one or more Right to Know/Hazardous

Substance Lists for the states of MA, MN, NJ, PA and RI.

None.

This is not an exhaustive list. For information on listings in other states, please

consult that state's RTK/HSL.

#### **Chemical Inventories**

United States (TSCA)	EUROPE (EINECS/ ELINCS/ NLP)	Australia (AICS)	Philippines (PICCS)	Canada		Korea (ECL)	Japan (ENCS/	China (IECSC)	New Zealand (NZIoC)
				DSL	NDSL		ISHL)		
Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes

#### 16 - Additional Information

**Key to Abbreviations:** 

NDA - No data available N/D - Not determined N/A - Not applicable N/E - Not established

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND ZSCHIMMER & SCHWARZ INC. MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, ZSCHIMMER & SCHWARZ, INC. ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION, NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. ZSCHIMMER & SCHWARZ INC. REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES. EXISTING ACTS AND REGULATIONS MUST BE OBSERVED BY THE RECIPIENT OF OUR PRODUCTS UNDER THEIR OWN RESPONSIBILITY.

Date of Issue: October 10, 2014

Date of Iast revision: May 26, 2015