

# Lexolube® POE-220HT

## Safety Data Sheet

according to 29 CFR 1910.1200/ HazCom 2012 and Regulation (EC) No. 1907/2006

Date of Issue: 5/1/2018

Revision Date: -

Version: 1.0



lexolube  
synthetic esters

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product Identifier

**Product name:** Lexolube POE-220HT  
**Synonyms:** Synthetic Polyol Ester  
**CAS (EC) No.:** 67762-52-1 (267-021-7)  
**REACH Reg. Number:** 01-2119970633-33-0004, 01-2120757437-45-0001

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the substance/mixture:** Lubricant  
**Uses advised against:** None known

#### 1.3 Details of the supplier of the safety data sheet

Zschimmer and Schwarz, Inc.  
70 GA Hwy. 22 W  
Milledgeville, GA 31061  
Phone: (478) 454-1942  
Fax: (478) 453-8854

#### 1.4 Emergency telephone number

**Emergency number:** CHEMTREC: (800) 424-9300

### Section 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Product definition:** Substance

**Classification according to 29 CFR 1910.1200/ HazCom 2012 (GHS-US) and Regulation (EC) No. 1272/2008)**

Not classified as hazardous per the above regulations

#### 2.2 Label Elements

**Labeling according to 29 CFR 1910.1200/ HazCom 2012 (GHS-US) and Regulation (EC) No. 1272/2008)**

**Hazard pictograms:** None  
**Signal Word:** None  
**Hazard statements:** None  
**Precautionary statements:** None

### Section 3 – Composition/information on ingredients

#### 3.1 Substance

**Chemical nature:** Polyol ester

	Chemical Name	CAS No. (EC No.)	Concentration
	Polyol Ester	67762-52-1 (267-021-7)	100%

#### 3.2 Mixture



# Lexolube<sup>®</sup> POE-220HT

Safety Data Sheet according to 29 CFR 1910.1200/ HazCom 2012 and Regulation (EC) No. 1907/2006

Chemical nature: Not applicable, product is a substance.

This is not intended to be a complete compositional disclosure. See Section 8 for Exposure Limits, if any.

## Section 4 - First aid measures

### 4.1 Description of first aid measures

- Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult or respiratory irritation develops, get medical attention.
- Skin Contact:** Wipe away excess material with a dry towel, then wash with soap and water for several minutes. Remove contaminated clothing and shoes. If a rash or skin irritation occurs, contact a physician.
- Eye Contact:** Flush with copious amounts of water for at least 15 minutes, lifting eyelids for maximum effectiveness. Get medical attention if irritation develops or persists.
- Ingestion:** If swallowed, rinse mouth with water. Observe victim for 24 hours. Do NOT induce vomiting. If vomiting occurs, keep head lower than hips to prevent aspiration. If large amounts were ingested, consult a physician/poison control center. Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential health symptoms and effects

- Inhalation:** Mists may cause irritation of the respiratory tract.
- Skin:** May cause mild skin irritation upon prolonged or repeated contact.
- Eyes:** May cause eye irritation.
- Ingestion:** May cause gastrointestinal distress.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

## Section 5 - Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media:** Water spray, dry chemical, alcohol foam, or carbon dioxide.
- Unsuitable extinguishing media:** Water jet.

### 5.2 Special hazards arising from the substance or mixture

Closed containers may explode due to the buildup of pressure when exposed to extreme heat. Under fire conditions, product may undergo thermal decomposition and emit toxic fumes of CO<sub>x</sub>.

### 5.3 Advice for firefighters

Full protective equipment including self-contained breathing apparatus and protective clothing should be used. Water may be used to cool containers to prevent pressure buildup and possible rupture when exposed to extreme heat. If possible, water contaminated by this material should be contained and prevented from being discharged to any waterway, sewer, or drain to avoid environmental contamination.

## Section 6 - Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Wear protective gloves, eye protection, and face protection. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas.

### 6.2 Environmental precautions

Avoid dispersal of spilled material or runoff and prevent contact with soil and entry into drains, sewers, and waterways.

### 6.3 Methods and materials for containment and cleaning up



# Lexolube<sup>®</sup> POE-220HT

Safety Data Sheet according to 29 CFR 1910.1200/ HazCom 2012 and Regulation (EC) No. 1907/2006

Cover drains and contain spill. Take up with inert absorbent material (e.g. vermiculite, general purpose binder). Shovel or sweep up product and place into an approved container for proper disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Dispose of material in accordance with local, state and federal regulations.

## 6.4 Reference to other sections

See section 13 for any additional waste treatment or disposal information.

## Section 7 - Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Wear protective gloves, eye protection, and face protection. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Wash contaminated clothing and shoes before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, and well-ventilated area away from incompatible materials (see Section 10.5). Keep container tightly closed. Protect containers from physical damage. Containers may be hazardous when empty as they contain product residues.

### 7.3 Specific end uses

Apart from uses mentioned in Section 1.2, no other uses are specified.

## Section 8 - Exposure controls/personal protection

### 8.1 Control parameters

Component/CAS No.	Basis	Type	Value	Remarks
None				-

### 8.2 Exposure Controls

<b>Engineering Measures:</b>	Safety measures and appropriate working conditions should be given priority, with use of personal protective equipment a secondary measure. Use adequate ventilation to reduce the exposure of mists or vapors. Facility should be equipped with an eyewash station and safety shower.
<b>Hygiene Measures:</b>	Avoid contact with eyes or skin. Wash hands thoroughly after use and before eating, drinking or bathroom use.
<b>Personal Protective Equipment (PPE):</b>	
<b>Hand Protection:</b>	Wear gloves recommended by glove supplier as impervious to materials in Section 3.
<b>Eye Protection:</b>	Wear protective goggles or safety glasses with side shields and/or full face shield.
<b>Skin Protection:</b>	Wear protective clothing.
<b>Respiratory Protection:</b>	If ventilation is limited or use may generate aerosols or mists, use full-face respirator with multi-purpose cartridges.

## Section 9 - Physical and chemical properties

### 9.1 Information of basic physical and chemical properties

<b>Form and Appearance:</b>	Clear, colorless to yellow liquid	<b>Odor:</b>	Characteristic
<b>pH:</b>	N/A	<b>Odor Threshold:</b>	N/D
<b>Boiling Point:</b>	> 554°F (290°C)	<b>Melting/Freezing point:</b>	~ -6°F (-21°C) (pour point)
<b>Vapor Pressure:</b>	N/D	<b>Vapor Density (Air=1):</b>	N/A
<b>Flash Point:</b>	> 554°F (290°C)	<b>Evaporation Rate:</b>	< 0.01
<b>UEL:</b>	N/D	<b>LEL:</b>	N/D



# Lexolube® POE-220HT

Safety Data Sheet according to 29 CFR 1910.1200/ HazCom 2012 and Regulation (EC) No. 1907/2006

<b>Viscosity:</b>	~ 220 cSt @ 40°C
<b>Octanol/Water Partition Coefficient:</b>	N/D
<b>Auto-ignition temperature:</b>	N/D
<b>Volatile content:</b>	< 0.1%

<b>Solubility in Water:</b>	Insoluble
<b>Specific Gravity/Bulk Density:</b>	~ 0.97 @ 25°C
<b>Decomposition Temperature:</b>	N/D
<b>VOC Data:</b>	N/D

## 9.2 Other information

No data available.

## Section 10 - Stability and reactivity

### 10.1 Reactivity

None known.

### 10.2 Chemical stability

Product is stable under ordinary conditions of use and storage.

### 10.3 Possibility of hazardous reactions

Will not occur under ordinary conditions of use and storage.

### 10.4 Conditions to avoid

Contact with incompatible materials, moisture.

### 10.5 Incompatible materials

Strong oxidizers, strong acids.

### 10.6 Hazardous decomposition products

Thermal decomposition may produce toxic fumes of CO<sub>x</sub>.

## Section 11 - Toxicological information

### 11.1 Information on toxicological effects

#### Acute Oral Toxicity

LD50, rat: > 2,000 mg/kg (ATE mix)

#### Acute Inhalation Toxicity

No data available

#### Acute Dermal Toxicity

LD50, rat: > 2,000 mg/kg (ATE mix)

#### Skin Irritation/Corrosion

Non-irritating.

#### Eye Irritation/Corrosion

Mild irritation possible.

#### Sensitization

No effects known

#### Genotoxicity in Vitro

No effects known

#### Mutagenicity

No data available



# Lexolube<sup>®</sup> POE-220HT

Safety Data Sheet according to 29 CFR 1910.1200/ HazCom 2012 and Regulation (EC) No. 1907/2006

## Specific Target Organ Toxicity – Single Exposure

No data available

## Specific Target Organ Toxicity – Repeated Exposure

No data available

## Aspiration Hazard

No effects known

## 11.2 Further Information

This material is not listed as a carcinogen by IARC, ACGIH, NTP, or OSHA. No data is available regarding the mutagenicity or teratogenicity of this material in humans, nor is there available data that indicates that it causes adverse development or fertility effects in humans. Handle in accordance with good industrial hygiene and safety practice.

## Section 12 - Ecological information

### 12.1 Toxicity

**Acute and Chronic Aquatic Toxicity:** LC50 (96h) – Fish: > WSL      EC50 (48h) – Daphnia magna: > WSL

### 12.2 Persistence and Degradability

Not readily biodegradable.

### 12.3 Bioaccumulation Potential

Not expected to bioaccumulate.

### 12.4 Mobility in Soil

No data available

### 12.5 Results of PBT and vPvB Assessment

No data available

### 12.6 Other Adverse Effects

Do not allow material to run into surface waters, wastewater, or soil.

## Section 13 - Disposal considerations

### 13.1 Waste treatment methods

**Methods of disposal:** Unused product or empty containers may be disposed of as non-hazardous in accordance with local, state, provincial and national disposal regulations.

**Hazardous waste:** This material, as sold, is not considered a hazardous waste under RCRA 40 CFR 261.

## Section 14 - Transport regulations

### Land Transport (DOT, ADR/RID)

Not classified as dangerous in transport

### Air Transport (IATA/ICAO)

Not classified as dangerous in transport

### Marine Transport (IMDG)

Not classified as dangerous in transport

## Section 15 - Regulatory information

# Lexolube® POE-220HT

Safety Data Sheet according to 29 CFR 1910.1200/ HazCom 2012 and Regulation (EC) No. 1907/2006

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### U.S. Federal Regulations

SARA 311/312 Hazards	No applicable hazards
SARA 302/304 (TPQ/RQ)	No components listed
SARA 313	No components listed
CERCLA (RQ)	No components listed
CAA 112(b) HAPS	No components listed

### U.S. State Regulations

California Prop. 65	No components listed
State RTK/HSL Information	No components listed

### International Regulations

No additional information available

### Chemical Inventory Listing

United States (TSCA)	Complies with inventory
European Union (EINECS/ELINCS/NLP)	Complies with inventory
Australia (AICS)	Complies with inventory
Philippines (PICCS)	Complies with inventory
Canada (DSL/NDL)	Complies with inventory
Korea (KECL)	Complies with inventory
Japan (ENCS/ISHL)	Complies with inventory
China (IECSC)	Complies with inventory
New Zealand (NZIoC)	Complies with inventory
Taiwan (TSCI)	Complies with inventory

## 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on this product.

## Section 16 – Additional information

Date of latest revision: 5/1/2018

Revision notes: -

### Key to Abbreviations:

N/D - Not determined                      N/A - Not applicable                      N/E - Not established                      WSL – Water solubility limit

The information presented in this safety data sheet (SDS) was prepared by technical personnel based on data that they believe in their good faith judgment is accurate. However, the information provided herein is provided "as is," and Zschimmer & Schwarz, Inc. makes and gives no representations or warranties whatsoever, and expressly disclaims all warranties regarding such information and the product to which it relates, whether express, implied, or statutory, including without limitation, warranties of accuracy, completeness, merchantability, non-infringement, performance, safety, suitability, stability, and fitness for a particular purpose, and any warranties arising from course of dealing, course of performance, or usage of trade. This SDS is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product, and is not intended to be comprehensive as to the manner and conditions of use, handling, storage, or disposal of the product. Individuals receiving this SDS must always exercise their own independent judgment in determining the appropriateness of such issues. Accordingly, Zschimmer & Schwarz, Inc. assumes no liability whatsoever for the use of or reliance upon this information. No suggestions for use are intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patents or to violate any federal, state, local, or foreign laws. Zschimmer & Schwarz, Inc. reminds you that it is your legal duty to make all information in this SDS available to your employees. Existing acts and regulations must be observed by the recipient of our products under their own responsibility.

