Product name:		Cublen B 730 N	A		
Product type/usage/industry:		Aqueous solutio	n of a salt	of an aminophosphonic acid	
Manufacturer/Supplier Informa		Zschimmer and 70 GA Hwy. 22 Milledgeville, GA Phone: (478) 4	nc.		
Emergency contact:		Company:(478) 454-1942CHEMTREC (24HR):(800) 424-9300			
	<u>2 – Ha</u>	zards Identifi	cation		
Classification of the substa	nce or mixture:			this substance/mixture is based on 00/HazCom 2012 (GHS-US)	
Serious Eye Damage/Irritation	Category 2A	H319	Causes	serious eye irritation	
Skin Corrosion/Irritation	Category 2	H315	Causes	skin irritation	
Chronic Aquatic Toxicity	Category 3	H412	Harmfu	I to aquatic life with long lasting effects	
Labelling:					
Signal Word:	Haz	ard Symbols:			
WARNING!	<				
	P264: Wash thoroug	ably after bandlin			
Precautionary Statements:	P273: Avoid release P280: Wear protecti P305+351+338: IF I contact lenses if pre P337+313: If eye irr P302+352: IF ON S P332+313: If skin irr	to the environm ve gloves/eye pr N EYES: Rinse of sent and easy to itation persists g KIN: Wash with ritation occurs: G	otection/fa cautiously do – conti et medical olenty of so et medical	with water for several minutes. Remove nue rinsing. advice/attention. pap and water.	
Precautionary Statements: Key to Hazard Categories:	P273: Avoid release P280: Wear protecti P305+351+338: IF I contact lenses if pre P337+313: If eye irr P302+352: IF ON S P332+313: If skin irr	to the environm ve gloves/eye pr N EYES: Rinse of sent and easy to itation persists g KIN: Wash with ritation occurs: G	otection/fa cautiously do – conti et medical olenty of so et medical	with water for several minutes. Remove inue rinsing. advice/attention. pap and water. advice/attention.	

# CUBLEN B 730 NA

Issue Date: May 18, 2015

Version: 1.0 Page 2 of 7

GHS Safety Data Sheet

#### 3 - Composition/Information on Ingredients

CAS Number 35657-77-3 Material or component

Bis (hexamethylene) triamine-pentakis (methylphosphonic acid) sodium salt

<u>Avg % weight</u> 32 – 35 %

This is not intended to be a complete compositional disclosure. Information provided pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200/ HazCom 2012). See Section 8 for Exposure Limits, if any.

#### 4 - First Aid Measures

Eyes:	Rinse cautiously with water for several (15) minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists: get medical advice/attention.						
Skin:	Wash affected area with soap and water. If itching or redness develops, seek medical attention. Contaminated clothing should be removed immediately and washed before reuse. Contaminated shoes should be discarded.						
Inhalation:	Move the person to fresh air. If breathing becomes difficult, contact a physician.						
Ingestion:	Do not induce vomiting. If large amounts were swallowed, give water to rinse mouth and get medical attention if you feel unwell.						

### 5 - Firefighting Measures

Extinguishing Media:	Water spray, dry chemical, alcohol foam, or carbon dioxide.			
Unsuitable Extinguishing Media:	None known.			
Special Protective Equipment for Firefighters:	Self-contained breathing apparatus and protective clothing when fighting any chemical fire.			
Unusual Fire & Explosion Hazards:	In case of fire, containers may explode from internal pressure. Cool with water. May emit toxic fumes of $CO_x$ , $PO_x$ and $NO_x$ under fire conditions.			
	6 - Accidental Release Measures			
Personal precautions:	Avoid breathing mists of product. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Wear protective gloves/eye protection/face protection.			
Environmental precautions:	P273: Avoid release to the environment Limit leakage with earth or sand. Do not discharge into the drains/surface water/groundwater. Dispose of absorbed material in accordance with local, state and federal regulations.			
Methods for Containment/Cleaning Up:	Take up with absorbent material (e.g. vermiculite, general purpose binder). Dispose of absorbed material in accordance with local, state, and federal regulations.			

Version: 1.0 Page 3 of 7

	7 - Handling and Storage
Handling:	P261: Avoid breathing mists/vapors of product P262: Do not get in eyes, on skin, or on clothing P264: Wash thoroughly after handling P280: Wear protective gloves/eye protection/face protection
Storage:	P402+404: Store in a dry place. Store in a closed container P403+233: Store in a well ventilated place. Keep container tightly closed.
Special Packaging Requirements:	P406: Store in a corrosive resistant container with a resistant inner liner. Do not use iron, steel, copper / copper-alloys or light alloy receptacles.
Incompatible Materials or Fire/Explosion Protection:	Oxidizers, alkaline materials, light metals.

### 8 - Exposure Controls/Personal Protection

Personal Protective Equipment (PPE):	
Hand Protection:	Use impervious gloves.
Eye Protection:	Wear safety glasses with side shields or full face shield.
Skin Protection:	Wear protective clothing.
Respiratory Protection:	Recommended if ventilation is limited.
Engineering Measures/Controls:	
Ventilation:	Ensure adequate ventilation to maintain product at acceptable airborne levels.
Other measures:	Eye-wash station.
Exposure Limits/Guidelines:	

Material	CAS #	BASIS	ТҮРЕ	VALUE
None				

9 - Physical and Chemical Properties						
Form and Appearance:	Clear, amber liquid	Odor:	Characteristic			
pH:	~7.5 @ 1%	Odor Threshold:	N/D			
Boiling Point:	~ 212°F (100°C)	Melting/Freezing point:	N/D			
Vapor Pressure:	N/D	Vapor Density (Air=1):	N/A			
Flash Point:	N/A	Evaporation Rate:	N/D			
UEL:	N/A	LEL:	N/A			
Viscosity:	N/D	Solubility in Water:	Miscible			
Octanol/Water Partition Coefficient:	N/D	Specific Gravity/ Bulk Density:	~1.20			
Auto-ignition temperature:	N/D	Decomposition Temperature:	N/D			
Volatile content:	N/D	VOC Data:	N/D			

Version: 1.0 Page 4 of 7

		10 - Stability	and Reactiv	vity	
Chemical Stability:	ical Stability: Product is stable under ordinary conditions of use and storage.				
Hazardous Polymeriza	tion:	Will not occur.			
Conditions to Avoid:		Extreme temp	eratures.		
Incompatible Materials	:	Oxidizers, alka	aline materials, lig	ght metals.	
Hazardous Decomposi	tion Products:	Extremely high	n temperatures a	nd fire conditions m	hay produce $CO_x$ , PO <sub>x</sub> , and NO
		<u>11 - Toxicolo</u>	gical Informa	tion	
Acute Data:					
	es of Exposure:	Eye cor	ntact, skin contac	t, ingestion, inhalat	tion (mist).
Acute Toxicity					
Route of exposure:	Test type:	Species:	Re	esults:	Comments:
Oral	LD50	Rat	>2	2000 mg/kg	H303: May be harmful if swallowed
Irritation and Corrosion	<u>n</u>				
Target organ:	Species:	Results	:	Comm	ents:
Eyes	Human	Serious	irritation	-	
Skin	Rabbit	Irritating		-	
Sensitization					
Target organ:	Species:	Results	:	Comm	ents:
Skin	Human	No effec	ts known	-	
Specific Target Organ	Toxicity – Single E	xposure			
Target organ:	Species:	Results	:	Comm	ents:
NDA				-	
Chronic Data:					
Carcinogenicity					
IARC	NTP		ACGIH		OSHA
No	No		No		No
Mutagenicity:		NDA			
Reproductive Effects:		NDA			
Target Organ Effects:		NDA			

Version: 1.0 Page 5 of 7

	<u> 12 - Ecolo</u>	gical Information					
Acute Aquatic Toxicity							
Species:	Test type: Exposure	time: Results:	Comments:				
Salmo gairdneri	LC50 96h	>100 mg/l	-				
Environmental Fate							
Persistence/Degrada	lity: This product	t is not readily biodegradabl	le.				
COD/BOD5:	NDA						
Bioaccumulation Pot	ntial: NDA	NDA					
Mobility in Soil:	NDA	NDA					
Other Adverse Effect	000	Chronic Aquatic Toxicity H412: Harmful to aquatic life with long lasting effects					
	<u>13 - Dispos</u>	sal Considerations					
Product:			nd/or container in accordance v	vith local,			
Packaging:		al and/or international regula	ations.				
Product: Packaging:	Dispose of a			accordance v			

5

## Zschimmer & Schwarz

### **GHS Safety Data Sheet**

## CUBLEN B 730 NA

Version: 1.0 Page 6 of 7

	<u> 14 - Transport Regulations</u>
US DOT Regulations (Land Transport):	
Proper Shipping Name:	Not regulated
Hazard Class:	Not regulated
UN Number:	Not regulated
Packing Group:	Not regulated
Label Required:	Not regulated
Other Information:	Not regulated
IATA/ICAO Regulations (Air Transport)	
Proper Shipping Name:	Not regulated
Hazard Class:	Not regulated
UN Number:	Not regulated
Packing Group:	Not regulated
Label Required:	Not regulated
Other Information:	Not regulated
IMDG/IMO Regulations (Maritime Trans	sport):
Proper Shipping Name:	Not regulated
Hazard Class:	Not regulated
UN Number:	Not regulated
Packing Group:	Not regulated
Label Required:	Not regulated
EMS Number:	Not regulated
Segregation Groups:	Not regulated
Marine Pollutant (Y/N):	Not regulated
Other Information:	Not regulated

Version: 1.0 Page 7 of 7

15 - Regulatory Information									
Domestic Regulati	ons								
Components requirin	ng notification								
SARA 302 (TPQ)	SARA 304 (RQ	) SARA 313	B CE	ERCLA (F	(Q)	CAA 112(b) H/	APS C/	AA 112(r)	
None	None	None		None		None		None	
SARA 311/312 Hazar	d Categorization:	Acute Heal	th Hazard	l					
<u>State Information</u> California Pi	oposition 65:	May contai cancer, birt				nown to the Sta ve harm.	ate of California	a to cause	
		None.							
	Substance List		The following chemicals are present on one or more Right to Know/Hazardous Substance Lists for the states of MA, MN, NJ, PA and RI.						
Information:		None.	None.						
		This is not consult that			For inform	ation on listing	s in other state	s, please	
Chemical Inventories	<u>5</u>								
United EURC States (EINE	CS/ (AICS)	Philippines (PICCS)	Can	ada	Korea (ECL)	Japan (ENCS/	China (IECSC)	New Zealand	
(TSCA) ELIN			DSL	NDSL		ISHL)		(NZIoC)	

(TSCA)	ELINCS/ NLP)			DSL	NDSL		ISHL)		(NZIOC)
Yes	Yes	No	NDA	Yes	No	No	NDA	No	Yes
16 - Additional Information									

#### Key to Abbreviations:

NDA - No data available N/D - Not determined N/A - Not applicable N/E - Not established

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND ZSCHIMMER & SCHWARZ INC. MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, ZSCHIMMER & SCHWARZ, INC. ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. ZSCHIMMER & SCHWARZ INC. REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES. EXISTING ACTS AND REGULATIONS MUST BE OBSERVED BY THE RECIPIENT OF OUR PRODUCTS UNDER THEIR OWN RESPONSIBILITY.

Date of Issue: May 18, 2015

Date of last revision: May 18, 2015