CUBLEN D 3217 N - US

Revision Date: May 14, 2015

Version: 2.2 Page 1 of 7

1 - Product and Company Identification

Product name: Cublen D 3217 N – US

Product type/usage/industry: Aqueous solution of a salt of an aminophosphonic acid

Manufacturer/Supplier Information: Zschimmer and Schwarz, Inc.

70 GA Hwy. 22 W Milledgeville, GA 31061 Phone: (478) 454-1942

Emergency contact: Company: (478) 454-1942

CHEMTREC (24HR): (800) 424-9300

2 - Hazards Identification

Classification of the substance or mixture: Classification of this substance/mixture is based on

29 CFR 1910.1200/HazCom 2012 (GHS-US)

Not classified

Labelling:

Signal Word: Hazard Symbols:

None None

Precautionary Statements: P262: Do not get in eyes, on skin, or on clothing

P302+352: IF ON SKIN: Wash with plenty of soap and water. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue

rinsing.

P314: Get medical advice/attention if you feel unwell.

Key to Hazard Categories:

1=Severe Hazard 2=Serious Hazard 3=Moderate Hazard 4=Slight Hazard 5=Minimal Hazard

3 - Composition/Information on Ingredients

<u>CAS Number</u> <u>Material or component</u> <u>Avg % weight</u>

68155-78-2 Diethylenetriamine penta(methylene phosphonic acid) heptasaodium

(22042-96-2) sal

30 – 40%

This is not intended to be a complete compositional disclosure. Information provided pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200/ HazCom 2012). See Section 8 for Exposure Limits, if any.

CUBLEN D 3217 N - US

Revision Date: May 14, 2015

Version: 2.2 Page 2 of 7

4 - First Aid Measures

Eyes: Rinse cautiously with water for several (15) minutes. Remove contact lenses if present and easy to do – continue

rinsing. If eye irritation persists: get medical advice/attention.

Skin: Wash affected area with soap and water. If itching or redness develops, seek medical attention. Contaminated

clothing should be removed immediately and washed before reuse. Contaminated shoes should be discarded.

Inhalation: Move the person to fresh air. If breathing becomes difficult, contact a physician.

Ingestion: Do not induce vomiting. If large amounts were swallowed, give water to rinse mouth and get medical attention if

you feel unwell.

5 - Firefighting Measures

Extinguishing Media: Water spray, dry chemical, alcohol foam, or carbon dioxide.

Unsuitable Extinguishing Media: None known.

Special Protective Equipment for Self-contain

Firefighters:

Self-contained breathing apparatus and protective clothing when fighting any

chemical fire.

Unusual Fire & Explosion Hazards: In case of fire, containers may explode from internal pressure. Cool with water.

May emit toxic fumes of CO_x, PO_x and NO_x under fire conditions.

6 - Accidental Release Measures

Personal precautions: Avoid breathing mists of product. Do not get in eyes, on skin, or on clothing. Wash

thoroughly after handling. Wear protective gloves/protective clothing/eye

protection/face protection.

Environmental precautions: P273: Avoid release to the environment

Limit leakage with earth or sand. Do not discharge into the drains/surface

water/groundwater. Dispose of absorbed material in accordance with local, state

and federal regulations.

Methods for Containment/Cleaning Up:Take up with absorbent material (e.g. vermiculite, general purpose binder).

Dispose of absorbed material in accordance with local, state, and federal

regulations.

7 - Handling and Storage

Handling: P261: Avoid breathing mists/vapors of product

P262: Do not get in eyes, on skin, or on clothing

P264: Wash thoroughly after handling

P280: Wear protective gloves/protective clothing/eye protection/face protection

Storage: P402+404: Store in a dry place. Store in a closed container

P403+233: Store in a well ventilated place. Keep container tightly closed.

Special Packaging Requirements: P406: Store in a corrosive resistant container with a resistant inner liner.

Do not use iron, steel, copper / copper-alloys or light alloy receptacles.

Incompatible Materials or Fire/Explosion

Protection:

Oxidizers, alkaline materials, light metals.

CUBLEN D 3217 N - US

Revision Date: May 14, 2015

Version: 2.2 Page 3 of 7

8 - Exposure Controls/Personal Protection

Personal Protective Equipment (PPE):

Hand Protection: Use impervious gloves.

Eye Protection: Wear safety glasses with side shields or full face shield.

Skin Protection: Wear protective clothing.

Respiratory Protection: Recommended if ventilation is limited.

Engineering Measures/Controls:

Ventilation: Ensure adequate ventilation to maintain product at acceptable airborne levels.

Other measures: Eye-wash station.

Exposure Limits/Guidelines:

Material CAS # BASIS TYPE VALUE

None

9 - Physical and Chemical Properties

Form and Appearance: Clear, amber to brown liquid Odor: Characteristic

pH: ~7.0 **Odor Threshold:** N/D **Boiling Point:** ~ 212°F (100°C) Melting/Freezing point: N/D Vapor Pressure: N/D Vapor Density (Air=1): N/A Flash Point: N/D **Evaporation Rate:** N/A UEL: LEL: N/A N/A Viscosity: N/D Solubility in Water: Miscible

Octanol/Water Partition
Coefficient:

N/D
Specific Gravity/
Bulk Density:

~1.285

Auto-ignition temperature: N/D Decomposition Temperature: N/D Volatile content: N/D VOC Data: N/D

10 - Stability and Reactivity

Chemical Stability: Product is stable under ordinary conditions of use and storage.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Extreme temperatures.

Incompatible Materials: Oxidizers, alkaline materials, light metals.

Hazardous Decomposition Products: Extremely high temperatures and fire conditions may produce CO_x, PO_x, and NO_x.

CUBLEN D 3217 N - US

Revision Date: May 14, 2015

Version: 2.2 Page 4 of 7

| 11 - | Toxicol | ogical In | formation |
|------|---------|-----------|-----------|
| | | | |

Acute Data:

Principle Routes of Exposure: Eye contact, skin contact, ingestion, inhalation (mist).

Acute Toxicity

 Route of exposure:
 Test type:
 Species:
 Results:
 Comments:

 Oral
 LD50
 Rat
 >5000 mg/kg

 Dermal
 LD50
 Rabbit
 >5000 mg/kg

Irritation and Corrosion

| Target organ: Species: Eyes Human | | Results: | Comments: | | |
|------------------------------------|--------|---------------------------------------|--|--|--|
| | | Mildly irritating to some individuals | - | | |
| Skin | Rabbit | Non-irritating | Prolonged or repeated skin contact may cause irritation in some individuals. | | |
| <u>Sensitization</u> | | | | | |
| Target organ: Species: | | Results: | Comments: | | |
| Skin | Human | No effects known | - | | |

Specific Target Organ Toxicity - Single Exposure

Target organ: Species: Results: Comments: -

Chronic Data:

Carcinogenicity

 IARC
 NTP
 ACGIH
 OSHA

 No
 No
 No
 No

Mutagenicity: NDA

Reproductive Effects: NDA

Target Organ Effects: NDA

CUBLEN D 3217 N - US

Revision Date: May 14, 2015

Version: 2.2 Page 5 of 7

12 - Ecological Information

Acute Aquatic Toxicity

 Species:
 Test type:
 Exposure time:
 Results:
 Comments:

 Salmo gairdneri
 LC50
 96h
 >180 mg/l

 Daphnia magna
 EC50
 48h
 >240 mg/l

Environmental Fate

Persistence/Degradability: This product is not readily biodegradable.

COD/BOD5: NDA

Bioaccumulation Potential: This product is not expected to bioaccumulate.

Mobility in Soil: Low.

Other Adverse Effects: NDA

13 - Disposal Considerations

Product: Dispose of absorbed material/content and/or container in accordance with local,

state, federal and/or international regulations.

Packaging: NDA

CUBLEN D 3217 N - US

Revision Date: May 14, 2015

Version: 2.2 Page 6 of 7

14 - Transport Regulations

US DOT Regulations (Land Transport):

Proper Shipping Name:

Hazard Class:

UN Number:

Packing Group:

Label Required:

Other Information:

Not regulated

Not regulated

Not regulated

Not regulated

IATA/ICAO Regulations (Air Transport):

Proper Shipping Name:

Hazard Class:

UN Number:

Packing Group:

Label Required:

Other Information:

Not regulated

Not regulated

Not regulated

Not regulated

IMDG/IMO Regulations (Maritime Transport):

Proper Shipping Name: Not regulated **Hazard Class:** Not regulated **UN Number:** Not regulated **Packing Group:** Not regulated **Label Required:** Not regulated **EMS Number:** Not regulated Segregation Groups: Not regulated Marine Pollutant (Y/N): Not regulated Other Information: Not regulated

CUBLEN D 3217 N – US

Revision Date: May 14, 2015

Version: 2.2 Page 7 of 7

15 - Regulatory Information

Domestic Regulations

Components requiring notification

SARA 302 (TPQ) SARA 304 (RQ) SARA 313 CERCLA (RQ) CAA 112(b) HAPS CAA 112(r)

None None None None None None

SARA 311/312 Hazard Categorization: None.

State Information

California Proposition 65: May contain the following components known to the State of California to cause

cancer, birth defects, or other reproductive harm.

None.

State Right to Know/ **Hazardous Substance List**

Information:

The following chemicals are present on one or more Right to Know/Hazardous

Substance Lists for the states of MA, MN, NJ, PA and RI.

None.

This is not an exhaustive list. For information on listings in other states, please

consult that state's RTK/HSL.

Chemical Inventories

| United States | EUROPE (EINECS/ | Australia (AICS) | Philippines (PICCS) | Canada | | Korea (ECL) | Japan (ENCS/ | China (IECSC) | New Zealand |
|------------------|--------------------|---------------------|---------------------|--------|------|----------------|-----------------|------------------|----------------|
| (TSCA) | ELINCS/ NLP) | | | DSL | NDSL | | ISHL) | | (NZIoC) |
| Yes | Yes | Yes | NDA | Yes | No | Yes | Yes | Yes | Yes |

16 - Additional Information

Key to Abbreviations:

NDA -No data available N/D -Not determined N/A -Not applicable N/E -Not established

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND ZSCHIMMER & SCHWARZ INC. MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, ZSCHIMMER & SCHWARZ, INC. ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. ZSCHIMMER & SCHWARZ INC. REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES. EXISTING ACTS AND REGULATIONS MUST BE OBSERVED BY THE RECIPIENT OF OUR PRODUCTS UNDER THEIR OWN RESPONSIBILITY.

Date of Issue: February 11, 2015 Date of last revision: May 14, 2015