CUBLEN D 4512 - US

Revision Date: June 3, 2016

Version: 2.3 Page 1 of 6

1 - Product and Company Identification

Product name: Cublen D 4512 – US

Product type/usage/industry: Aqueous solution of an aminophosphonic acid

Manufacturer/Supplier Information: Zschimmer and Schwarz, Inc.

70 GA Hwy. 22 W Milledgeville, GA 31061 Phone: (478) 454-1942

Emergency contact: Company: (478) 454-1942

CHEMTREC (24HR): (800) 424-9300

2 - Hazards Identification

Classification of the substance or mixture: Classification of this substance/mixture is based on

29 CFR 1910.1200/HazCom 2012 (GHS-US)

Serious Eye Damage/Irritation	Category 2A	H319	Causes serious eye irritation
Corrosive to Metals	Category 1	H290	May be corrosive to metals

Labelling:

Signal Word: Hazard Symbols:

WARNING!



Precautionary Statements: P234: Keep only in original container.

P264: Wash thoroughly after handling. P280: Wear eye protection/face protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P337+313: If eye irritation persists get medical advice/attention.

P390: Absorb spillage to prevent material damage.

P406: Store in corrosive resistant container with a resistant inner liner.

Key to Hazard Categories:

1=Severe Hazard 2=Serious Hazard 3=Moderate Hazard 4=Slight Hazard 5=Minimal Hazard

3 - Composition/Information on Ingredients

 CAS Number
 Material or component
 Avg % weight

 22042-96-2
 Phosphonic acid, [[(phosphonomethyl) imino]bis[(2,1-ethanediylnitrilo)bis(methylene)]]tetra kis-, sodium salt
 25 – 50%

 13598-36-2
 Phosphorous acid
 < 5%</td>

This is not intended to be a complete compositional disclosure. Information provided pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200/ HazCom 2012). See Section 8 for Exposure Limits, if any.

CUBLEN D 4512 - US

Revision Date: June 3, 2016

Version: 2.3 Page 2 of 6

4 - First Aid Measures

Eyes: Rinse cautiously with water for several (15) minutes. Remove contact lenses if present and easy to do – continue

rinsing. If eye irritation persists get medical advice/attention.

Skin: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or a rash occurs:

Get medical advice/attention.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms:

Call a POISON CENTER or doctor/physician.

Ingestion: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell.

5 - Firefighting Measures

Extinguishing Media: Water spray, dry chemical, alcohol foam, or carbon dioxide.

Unsuitable Extinguishing Media: None known.

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and protective clothing when fighting any chemical

fire.

Unusual Fire & Explosion Hazards: In case of fire, containers may explode from internal pressure. Cool with water. May

emit toxic fumes of CO_x, PO_x and NO_x under fire conditions.

6 - Accidental Release Measures

Personal precautions: Avoid contact with skin and eyes. Avoid breathing mists. Keep people away from and

upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye

protection/face protection.

Environmental precautions: P273: Avoid release to the environment

Limit leakage with earth or sand. Do not discharge into the drains/surface

water/groundwater. Dispose of absorbed material in accordance with local, state and

federal regulations.

Methods for Containment/Cleaning Up: Use neutralizing agent. Take up with absorbent material (e.g. vermiculite, general

purpose binder). Dispose of absorbed material in accordance with local, state, and

federal regulations.

7 - Handling and Storage

Handling: P261: Avoid breathing mists/vapors of product

P262: Do not get in eyes, on skin, or on clothing

P264: Wash thoroughly after handling

P280: Wear protective gloves/eye protection/face protection

Storage: P402+404: Store in a dry place. Store in a closed container

P403+233: Store in a well ventilated place. Keep container tightly closed.

Special Packaging Requirements: P406: Store in a corrosive resistant container with a resistant inner liner.

Do not use iron, steel, copper / copper-alloys or light alloy receptacles.

Incompatible Materials or Fire/Explosion

Protection:

Oxidizers, alkaline materials.

CUBLEN D 4512 - US

Revision Date: June 3, 2016

Version: 2.3 Page 3 of 6

8 - Exposure Controls/Personal Protection

Personal Protective Equipment (PPE):

Hand Protection: Use impervious gloves.

Eye Protection: Wear safety glasses with side shields or full face shield.

Skin Protection: Wear protective clothing.

Respiratory Protection: Recommended if ventilation is limited.

Engineering Measures/Controls:

Ventilation: Ensure adequate ventilation to maintain product at acceptable airborne levels.

Other measures: Eye-wash station.

Exposure Limits/Guidelines:

Material CAS# BASIS TYPE VALUE

None

9 - Physical and Chemical Properties

Form and Appearance: Brown liquid Odor: Characteristic

pH: ~2.0 @ 1% Odor Threshold: N/D

Boiling Point: $\sim 230^{\circ}\text{F} (110^{\circ}\text{C})$ **Melting/Freezing point:** $\sim -4^{\circ}\text{F} (-20^{\circ}\text{C})$

Vapor Pressure: N/D Vapor Density (Air=1): N/A Flash Point: N/A **Evaporation Rate:** N/D **UEL:** N/A LEL: N/A Solubility in Water: Viscosity: N/D Soluble Octanol/Water Partition Specific Gravity/ N/D ~1.36 Coefficient: **Bulk Density:** Auto-ignition temperature: **Decomposition Temperature:** N/D N/D Volatile content: N/D **VOC Data:** N/D

10 - Stability and Reactivity

Chemical Stability: Product is stable under ordinary conditions of use and storage.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Extreme temperatures.

Incompatible Materials: Oxidizers, alkaline materials, metals.

Hazardous Decomposition Products: Extremely high temperatures and fire conditions may produce CO_x, PO_x, and NO_x.

CUBLEN D 4512 - US

Revision Date: June 3, 2016

Version: 2.3 Page 4 of 6

11 - Toxicological Information

Acute Data:

Principle Routes of Exposure: Eye contact, skin contact, ingestion, inhalation (mist).

Acute Toxicity

 Route of exposure:
 Test type:
 Species:
 Results:
 Comments:

 Oral
 LD50
 Rat
 >8775 mg/kg
 H303: May be harmful if swallowed (low pH)

 Dermal
 LD50
 Rat
 >9700 mg/kg

Irritation and Corrosion

Target organ:Species:Results:Comments:EyesRabbitSerious irritation-SkinHumanMild irritation possible-

Sensitization

Target organ: Species: Results: Comments:

Skin Human No effects known

Specific Target Organ Toxicity - Single Exposure

Target organ: Species: Results: Comments:

None -

Chronic Data:

Carcinogenicity

 IARC
 NTP
 ACGIH
 OSHA

 No
 No
 No
 No

Mutagenicity: NDA

Reproductive Effects: NDA

Target Organ Effects: NDA

12 - Ecological Information

Acute Aquatic Toxicity

 Species:
 Test type:
 Exposure time:
 Results:
 Comments:

 Salmo gairdneri
 LC50
 96h
 >916 mg/l

 Daphnia magna
 EC50
 48h
 >295 mg/l

Environmental Fate

Persistence/Degradability: This product is not readily biodegradable.

COD/BOD5: NDA

Bioaccumulation Potential: This product is not expected to bioaccumulate.

Mobility in Soil: Low.
Other Adverse Effects: NDA

CUBLEN D 4512 - US

Revision Date: June 3, 2016

Version: 2.3 Page 5 of 6

13 - Disposal Considerations

Product: Dispose of absorbed material/content and/or container in accordance with local, state,

federal and/or international regulations.

Packaging: NDA

14 - Transport Regulations

US DOT Regulations (Land Transport):

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (aminophosphonic acid) **Proper Shipping Name:**

Hazard Class: 8 **UN Number:** UN3265 **Packing Group:** Ш Label Required: CORROSIVE

Other Information:

IATA/ICAO Regulations (Air Transport):

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (aminophosphonic acid)

Hazard Class: UN Number: R UN3265 **Packing Group:** Ш Label Required: **CORROSIVE**

Other Information:

IMDG/IMO Regulations (Maritime Transport):

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (aminophosphonic acid)

Hazard Class: R **UN Number:** UN3265 **Packing Group:** Ш Label Required: CORROSIVE

EMS Number: F-A, S-B Segregation Groups: Acids

Marine Pollutant (Y/N): Ν Other Information:

15 - Regulatory Information

Domestic Regulations

Components requiring notification

SARA 302 (TPQ) SARA 304 (RQ) SARA 313 CERCLA (RQ) CAA 112(b) HAPS CAA 112(r)

None None None None None None

SARA 311/312 Hazard Categorization: Acute Health Hazard

State Information

California Proposition 65: May contain the following components known to the State of California to cause cancer,

birth defects, or other reproductive harm.

None.

State Right to Know/ **Hazardous Substance List**

Information:

The following chemicals are present on one or more Right to Know/Hazardous

Substance Lists for the states of MA, MN, NJ, PA and RI.

None.

This is not an exhaustive list. For information on listings in other states, please consult that

state's RTK/HSL.

CUBLEN D 4512 - US

Revision Date: June 3, 2016

Version: 2.3 Page 6 of 6

Chemical Inventories

United States	EUROPE (EINECS/	Australia (AICS)	Philippines (PICCS)	Canada		Korea (ECL)	Japan (ENCS/	China (IECSC)	New Zealand
(TSCA)	ELINCS/ NLP)			DSL	NDSL		ISHL)		(NZIoC)
Yes	Yes	Yes	Yes	Yes	No	Yes	No	Yes	Yes

16 - Additional Information

Key to Abbreviations:

NDA - No data available N/D - Not determined N/A - Not applicable N/E - Not established

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND ZSCHIMMER & SCHWARZ INC. MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT, INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, ZSCHIMMER & SCHWARZ, INC. ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. ZSCHIMMER & SCHWARZ INC. REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES. EXISTING ACTS AND REGULATIONS MUST BE OBSERVED BY THE RECIPIENT OF OUR PRODUCTS UNDER THEIR OWN RESPONSIBILITY.

Date of Issue: March 18, 2015

Date of last revision: June 3, 2016