<u>1 - Pro</u>	duct and Company Identification
Product name:	Mulsifan 200 DT
Product type/usage/industry:	Polyethylene Glycol 200 Ditallate
Manufacturer/Supplier Information:	Zschimmer and Schwarz, Inc. 70 GA Hwy. 22 W Milledgeville, GA 31061 Phone: (478) 454-1942
Emergency contact:	Company:(478) 454-1942CHEMTREC (24HR):(800) 424-9300
	<u>2 – Hazards Identification</u>
Classification of the substance or mixtu	Classification of this substance/mixture is based on 29 CFR 1910.1200/HazCom 2012 (GHS-US)
Not classified	
Labelling:	
Signal Word:	Hazard Symbols:
None	None
Precautionary Statements:	 P262: Do not get in eyes, on skin, or on clothing. P302+352: IF ON SKIN: Wash with plenty of soap and water. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P314: Get medical advice/attention if you feel unwell.
Key to Hazard Categories:	
1=Severe Hazard 2=Serious Hazard	3=Moderate Hazard 4=Slight Hazard 5=Minimal Hazard
<u>3 – Comp</u>	oosition/Information on Ingredients
CAS NumberMaterial or compone61791-01-3Fatty acids, tall-oil, die	ent Avg % weight esters with polyethylene glycol ~ 100%

This is not intended to be a complete compositional disclosure. Information provided pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200/ HazCom 2012). See Section 8 for Exposure Limits, if any.

		<u>4 - First Aid Measures</u>				
Eyes:	Immediately flush with gentle but large stream of water for 15 min, lifting upper and lower eyelids occasionally. Get medical attention if irritation develops.					
Skin:		bap and water. If itching or redness develops, seek medical attention. Contaminated d immediately and washed before reuse. Contaminated shoes should be discarded.				
Inhalation:	Move the person to fresh a	ir. If breathing becomes difficult, contact a physician.				
Ingestion:	Do not induce vomiting. If feel unwell.	large amounts were swallowed, give water to drink and get medical attention if you				
		5 - Firefighting Measures				
Extinguishing		Water spray, dry chemical, alcohol foam, or carbon dioxide.				
	tinguishing Media: tive Equipment for	None known. Self-contained breathing apparatus and protective clothing when fighting any chemical fire.				
Unusual Fire 8	& Explosion Hazards:	In case of fire, containers may explode from internal pressure. Cool with water. May emit toxic fumes of CO and CO_2 under fire conditions.				
		6 - Accidental Release Measures				
Personal preca	autions:	Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition.				
Environmental precautions:		P273: Avoid release to the environment Limit leakage with earth or sand. Do not discharge into the drains/surface water/groundwater. Dispose of absorbed material in accordance with local, state and federal regulations.				
Methods for Containment/Cleaning Up:		Take up with absorbent material (e.g. vermiculite, general purpose binder). Dispose of absorbed material in accordance with local, state, and federal regulations.				
		7 - Handling and Storage				
Handling:		P261: Avoid breathing mists of product P262: Do not get in eyes, on skin, or on clothing P264: Wash thoroughly after handling P280: Wear protective gloves/eye protection				
Storage:		P402+404: Store in a dry place. Store in a closed container P403+233: Store in a well-ventilated place. Keep container tightly closed Protect from moisture. Store in cool dry places between 32°F (0°C) and 95°F (35°C).				
Special Packa	ging Requirements:	None known.				
Incompatible M Protection:	Materials or Fire/Explosion	Strong oxidizers, strong acids, and strong bases at high temperatures.				

Zschimmer & Schwarz GHS Safety Data Sheet

MULSIFAN 200 DT

Version: 1.1 Page 3 of 7

	<u>8 - Ex</u>	posure Control	s/Personal P	rotection			
Personal Protective Equipn	ent (PPE):						
Hand Protection:	Use impervious	Use impervious gloves.					
Eye Protection:	Wear safety glas	sses with side sh	ields.				
Skin Protection:		Wear protective	clothing.				
Respiratory Protec	tion:	Recommended i	f ventilation is lir	nited.			
Engineering Measures/Con	trols:						
Ventilation:		Ensure adequate	e ventilation to m	naintain produc	t at acceptable airborne levels.		
Other measures:		Eye-wash station	n.				
Exposure Limits/Guidelines	:						
Material	CAS #	BAS	IS	TYPE	VALUE		
None							
	0	Physical and C	homical Dra	portion			
				<u>perlies</u>			
Form and Appearance:	Clear to sligh amber liquid	ntly hazy, yellow to	Odor: Odor Threshold:		Faint		
pH:	~ 6.0 @ 5%	(20 0)			N/D		
Boiling Point:	> 392°F (200°C)		Melting/Freezing point:		~0°F (-18°C) (pour pt.)		
Vapor Pressure:	< 0.01 mmH	g @ 20°C	Vapor Density	y (Air=1):	N/A		
Flash Point:	> 347°F (175	5°C) (COC)	Evaporation F	Rate:	< 0.01		
UEL:	N/A		LEL:		N/A		
Viscosity:	N/D		Solubility in V	Vater:	Dispersible		
Octanol/Water Partition Coefficient:	N/D		Specific Grav Bulk Density:		~ 0.95		
Auto-ignition temperature:	N/D		Decomposition Temperature:		N/D		
Volatile content:	< 1.0%		VOC Data:		N/D		
		<u>10 - Stability a</u>	and Reactivi	ty			
Chemical Stability:		Product is stable	under ordinary	conditions of u	se and storage.		
Hazardous Polymerization:		Will not occur.					
Conditions to Avoid:		Exposure to moi	Exposure to moist air or water.				
Incompatible Materials:		Strong oxidizers	Strong oxidizers, strong acids, and strong bases at high temperatures.				
Hazardous Decomposition	Extremely high temperatures may produce CO _x ; thermal decomposition may produce irritating aldehydes.						

MULSIFAN 200 DT

Version: 1.1 Page 4 of 7

		<u>11 - T</u>	oxicological Info	rmation		
Acute Data:	es of Exposure:		Eye contact, skin α	antaat ingastion	inholation (~	vict)
Principle Rout	es of Exposure.		Eye contact, skin o	Sinaci, ingestion	i, innaialion (n	list).
Acute Toxicity						
Route of exposure:	Test type:	Spec	cies:	Results:		Comments:
Oral	LD50	Rat		>2000 mg/kg		H303: May be harmful if swallowed.
Irritation and Corrosion	<u>1</u>					
Target organ:	Species:		Results:		Comments:	
Eyes	Rabbit		Non-irritating		-	
Skin	Rabbit		Non-irritating		-	
Sensitization						
Target organ:	Species:		Results:		Comments:	
Skin	Human		Not sensitizing		-	
Specific Target Organ	Toxicity - Single Ex	nosuro				
Target organ:	Species:	posure	Results:		Comments:	
NDA					-	
Chronic Data:						
Carcinogenicity						
IARC	NTP		ACGIH		OSI	HA
No	No		No		No	
Mutagenicity:		NDA				
Reproductive Effects:		NDA				
Target Organ Effects:		NDA				

Version: 1.1 Page 5 of 7

<u>Acute Aquatic Toxicity</u>								
Leuciscus idus	LC50	N/D						
Daphnia magna	EC50	48h	N/D					
Algae	EC50	72h	N/D	-				
Environmental Fate Persistence/De	gradability:	Product is moderate	ely biodegradable.					
COD/BOD5:		NDA						
Bioaccumulation Potential:		NDA						
Mobility in Soil:		NDA						
Other Adverse Effects:		NDA						

13 - Disposal Considerations

Product:

Packaging:

Dispose of absorbed material/content and/or container in accordance with local, state, federal and/or international regulations. NDA

Zschimmer & Schwarz

GHS Safety Data Sheet

MULSIFAN 200 DT

Version: 1.1 Page 6 of 7

	14 - Transport Regulations
US DOT Regulations (Land Transport):	
Proper Shipping Name:	Not regulated.
Hazard Class:	Not regulated.
UN Number:	Not regulated.
Packing Group:	Not regulated.
Label Required:	Not regulated.
Other Information:	Not regulated.
IATA/ICAO Regulations (Air Transport)):
Proper Shipping Name:	Not regulated.
Hazard Class:	Not regulated.
UN Number:	Not regulated.
Packing Group:	Not regulated.
Label Required:	Not regulated.
Other Information:	Not regulated.
IMDG/IMO Regulations (Maritime Trans	sport):
Proper Shipping Name:	Not regulated.
Hazard Class:	Not regulated.
UN Number:	Not regulated.
Packing Group:	Not regulated.
Label Required:	Not regulated.
EMS Number:	Not regulated.
Segregation Groups:	Not regulated.
Marine Pollutant (Y/N):	Not regulated.
Other Information:	Not regulated.

Zschimmer & Schwarz GHS Safety Data Sheet

MULSIFAN 200 DT

Version: 1.1 Page 7 of 7

Domestic Re	egulations								
Components	requiring not	<u>ification</u>							
SARA 302 (TPQ) SARA 304 (RQ)		SARA 313	ERCLA (RQ)	CAA 112(b) H	IAPS C	CAA 112(r)		
None		None	None	None None			None		None
SARA 311/31	2 Hazard Cate	gorization:	None						
State Informa	tion								
	ornia Proposi	tion 65:						onents known ⁻ oductive harm.	
			Ethylene C 1,4-Dioxan		(5-21-8) 23-91-1)			
State Right to Know/ Hazardous Substance List Information:		The following chemicals are present on one or more Right to Know/Hazardous Substance Lists for the states of MA, MN, NJ, PA and RI.							
		Ethylene Oxide(75-21-8) (trace amounts, if any)1,4-Dioxane(123-91-1) (trace amounts, if any)Polyethylene glycols(25322-68-3)							
			This is not consult that				nation on listing	gs in other stat	es, please
Chemical Inv	entories (
United States	EUROPE (EINECS/	Australia (AICS)	Philippines (PICCS)	Ca	Canada		a Japan) (ENCS/	China (IECSC)	New Zealand
(TSCA)	ELINCS/ NLP)			DSL	NDSL		ISHL)		(NZIoC)
Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes
			16 - Addi	tional I	nforma	tion			
<u> </u>		ı	<u> 16 - Addi</u>	tional l	nformat	tion		1	1

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND ZSCHIMMER & SCHWARZ INC. MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES. WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT, INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, ZSCHIMMER & SCHWARZ, INC. ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. ZSCHIMMER & SCHWARZ INC. REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES. EXISTING ACTS AND REGULATIONS MUST BE OBSERVED BY THE RECIPIENT OF OUR PRODUCTS UNDER THEIR OWN RESPONSIBILITY.

Date of Issue: December 12, 2013

Date of last revision: May 26, 2015