Version: 1.3 Page 1 of 6

	<u>1 - Pro</u>	duct and Company Id	entificati	ion	
Product name:		Mulsifan 400 DO-V	ΞG		
Product type/usage/in	ndustry:	Polyethylene Glyco	l 400 Diole	ate	
Manufacturer/Supplie					
Emergency contact:		Company: CHEMTREC (24HF		478) 454-194 800) 424-930	
		2 – Hazards Identifica	tion		
Classification of the	substance or mixture:				e/mixture is based on 1012 (GHS-US)
Not classified					
Labelling:					
Signal Word:		Hazard Symbols:			
None		None			
Precautionary Statem	nents:	P262: Do not get in eyes P302+352: IF ON SKIN: P305+351+338: IF IN E Remove contact lenses P314: Get medical advic	Wash with YES: Rinse if present a	n plenty of soa e cautiously w and easy to de	ap and water. ith water for several minutes. o – continue rinsing.
Key to Hazard Categor	ies:				
1=Severe Hazard	2=Serious Hazard	3=Moderate Hazard	4=Slig	ht Hazard	5=Minimal Hazard
	<u>3 – Comp</u>	osition/Information o	n Ingred	<u>ients</u>	
<u>CAS Number</u> 9005-07-6	<u>Material or component</u> Poly(oxy-1,2-ethanediyl), (Z,Z)-	α -(1-oxo-9-octadecenyl)-α	o-((1-oxo-9	-octadecenyl)	Avg % weight loxy)- ~ 100%

This is not intended to be a complete compositional disclosure. Information provided pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200/ HazCom 2012). See Section 8 for Exposure Limits, if any.

Version: 1.3 Page 2 of 6

		4 - First Aid Measures				
Eyes:	Immediately flush with gentle b medical attention if irritation de	out large stream of water for 15 min, lifting upper and lower eyelids occasionally. Get evelops.				
Skin:	Wash affected area with soap and water. If itching or redness develops, seek medical attention. Contaminated clothing should be removed immediately and washed before reuse. Contaminated shoes should be discarded.					
Inhalation:	Move the person to fresh air. If breathing becomes difficult, contact a physician.					
Ingestion:	Do not induce vomiting. If large amounts were swallowed, give water to drink and get medical attention if you feel unwell.					
		<u>5 - Firefighting Measures</u>				
Extinguishing Me		Water spray, dry chemical, alcohol foam, or carbon dioxide.				
Unsuitable Exting	-	None known.				
Special Protective	e Equipment for Firefighters:	Self-contained breathing apparatus and protective clothing when fighting any chemical fire.				
Unusual Fire & Ex	plosion Hazards:	In case of fire, containers may explode from internal pressure. Cool with water. May emit toxic fumes of CO and CO_2 under fire conditions.				
	6	6 - Accidental Release Measures				
Personal precauti		Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition.				
Environmental pr	ecautions:	P273: Avoid release to the environment Limit leakage with earth or sand. Do not discharge into the drains/surface water/groundwater. Dispose of absorbed material in accordance with local, state and federal regulations.				
Methods for Cont	ainment/Cleaning Up:	Take up with absorbent material (e.g. vermiculite, general purpose binder). Dispose of absorbed material in accordance with local, state, and federal regulations.				
		7 - Handling and Storage				
		<u>r - Handling and Storage</u>				
Handling:		P261: Avoid breathing mists of product P262: Do not get in eyes, on skin, or on clothing P264: Wash thoroughly after handling P280: Wear protective gloves/eye protection				
Storage:P402+404: Store in a dry place. Store in a closed containerP403+233: Store in a well ventilated place. Keep container tightly closedProtect from moisture.Store in cool dry places between 32°F (0°C) and 95°F						
Special Packagin	a Requirements:	None known.				
	erials or Fire/Explosion	Strong oxidizers, strong acids, and strong bases at high temperatures.				

MULSIFAN 400 DO-VEG

Version: 1.3 Page 3 of 6

Ensure adequate ventilation Eye-wash station.	to maintain product at acce	eptable airborne levels.			
	to maintain product at acce	eptable airborne levels.			
Ensure adequate ventilation	to maintain product at acce	eptable airborne levels.			
Recommended if ventilation	Recommended if ventilation is limited.				
Wear protective clothing.					
Wear safety glasses with sid	le shields or full face shield.				
Use impervious gloves.					
i):					
	E): Use impervious gloves. Wear safety glasses with sic Wear protective clothing.	Use impervious gloves. Wear safety glasses with side shields or full face shield. Wear protective clothing.			

None

9 - Physical and Chemical Properties

Form and Appearance:	Clear to slightly hazy, yellow to amber liquid	Odor:	Faint
pH:	~ 6.0 @ 5%	Odor Threshold:	N/D
Boiling Point:	> 392°F (200°C)	Melting/Freezing point:	< 41°F (5°C)
Vapor Pressure:	< 0.01 mmHg @ 20°C	Vapor Density (Air=1):	N/A
Flash Point:	> 347°F (175°C) (COC)	Evaporation Rate:	< 0.01
UEL:	N/A	LEL:	N/A
Viscosity:	N/D	Solubility in Water:	Dispersible
Octanol/Water Partition Coefficient:	N/D	Specific Gravity/ Bulk Density:	~ 0.98
Auto-ignition temperature:	N/D	Decomposition Temperature:	N/D
Volatile content:	< 1.0%	VOC Data:	N/D

	10 - Stability and Reactivity
Chemical Stability:	Product is stable under ordinary conditions of use and storage.
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	Exposure to moist air or water.
Incompatible Materials:	Strong oxidizers, strong acids, and strong bases at high temperatures.
Hazardous Decomposition Products:	Extremely high temperatures may produce CO _x ; thermal decomposition may produce irritating aldehydes.

Version: 1.3 Page 4 of 6

		<u>11 - Toxicologica</u>	I Information				
Acute Data:							
Principle Rou	tes of Exposure:	Eye contact, skin contact, ingestion, inhalation (mist).					
Acute Toxicity							
Route of exposure:	Test type:	Species:	Results:	Comments:			
Oral	LD50	Rat	>5000 mg/kg	-			
Dermal	LD50	Rabbit	>10000 mg/kg	3			
Irritation and Corrosion	<u>n</u>						
Target organ:	Species:	Results:		Comments:			
Eyes	Rabbit	Non-irritating		-			
Skin	Rabbit	Non-irritating		-			
Sensitization							
Target organ:	Species:	Results:		Comments:			
Skin	Human	Not sensitizing]	-			
Specific Target Organ	Toxicity – Single Expos	ure					
Target organ:	Species:	Results:		Comments:			
NDA	-			-			
Chronic Data: Carcinogenicity							
	NTP		CGIH	OSHA			
No	No	Ν	0	No			
Mutagenicity:		NDA					
Reproductive Effects:		NDA					
Target Organ Effects:		NDA					
		<u> 12 - Ecological I</u>	Information				
Acute Aquatic Toxicity	·						
Species:	Test type:	Exposure time:	Results:	Comments:			
Leuciscus idus	LC50	96h	N/D	Expected to possess low toxicity to aquatic organisms.			
Environmental Fate							
Persistence/Degradability:		Product is moderately biodegradable.					
COD/BOD5:		NDA					
Bioaccumulat	ion Potential:	No bioconcentration is expected because of the relatively high water solubility.					
Mobility in So	il:	NDA					
Other Adverse	e Effects:	NDA					
Other Auvers		NUA					

MULSIFAN 400 DO-VEG

Version: 1.3 Page 5 of 6

13 - Disposal Considerations							
Product:	Dispose of absorbed material/content and/or container in accordance with local, state, federal and/or international regulations.						
Packaging:	NDA	ternational regulations.					
i ashagnigi							
	14 - Transpo	ort Regulations					
US DOT Regulations (Land Transport):							
Proper Shipping Name:	Not regulated.						
Hazard Class:	Not regulated.	UN Number:	Not regulated.				
Packing Group:	Not regulated.	Label Required:	Not regulated.				
Other Information:	Not regulated.						
IATA/ICAO Regulations (Air Transport):							
Proper Shipping Name:	Not regulated.						
Hazard Class:	Not regulated.	UN Number:	Not regulated.				
Packing Group:	Not regulated.	Label Required:	Not regulated.				
Other Information:	Not regulated.						
IMDG/IMO Regulations (Maritime Transport):							
Proper Shipping Name:	Not regulated.						
Hazard Class:	Not regulated.	UN Number:	Not regulated.				
Packing Group:	Not regulated.	Label Required:	Not regulated.				
EMS Number:	Not regulated.	Segregation Groups:	Not regulated.				
Marine Pollutant (Y/N):	Not regulated.						
Other Information:	Not regulated.						

5

Zschimmer & Schwarz

GHS Safety Data Sheet

MULSIFAN 400 DO-VEG

Domestic Regulat	ions								
Components requi		<u>cation</u>							
SARA 302 (TPQ)) S	ARA 304 (RQ)	SARA 313	C	ERCLA (R	(Q)	CAA 112(b) HA	APS C	AA 112(r)
None		None	None		None		None		None
SARA 311/312 Haza	ard Catego	orization:	None						
State Information									
California Proposition 65: Chemicals which are known to the State of		stated amore	unt of the	below item	s. Howeve	oduct are guarar r, based upon o ctable quantities	ur further proce	ssing we	
California to cause other reproductive		irth defects, or	1,4-Dioxane	Ethylene Oxide (75-21-8) (<10 ppm) 1,4-Dioxane (123-91-1) (<10 ppm) Ethylene glycol (107-21-1) (< 0.25%)					
State Righ Hazardous	s Substan		The following chemicals are present on one or more Right to Know/Hazardous Substance Lists for the states of MA, MN, NJ, PA and RI.						
Information:		Ethylene O: 1,4-Dioxane Polyethylen Ethylene gl	e e glycols	(12 (25	-21-8) 3-91-1) 322-68-3) 7-21-1)				
			This is not a state's RTK/		ve list. For	information	on listings in oth	er states, please	e consult that
Chemical Inventori	es								
States (El	JROPE INECS/	Australia (AICS)	Philippines (PICCS)	Cai	nada	Korea (ECL)	Japan (ENCS/	China (IECSC)	New Zealand
(₋INCS/ NLP)			DSL	NDSL	1	ISHL)		(NZIoC)

Key to Abbreviations:

Yes

Yes

Yes

NDA -	No data available	N/D -	Not determined	N/A -	Not applicable	N/E -	Not established

Yes

16 - Additional Information

No

Yes

Yes

Yes

Yes

Yes

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS." AND ZSCHIMMER & SCHWARZ INC. MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER. AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS. MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, ZSCHIMMER & SCHWARZ, INC. ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. ZSCHIMMER & SCHWARZ INC. REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES. EXISTING ACTS AND REGULATIONS MUST BE OBSERVED BY THE RECIPIENT OF OUR PRODUCTS UNDER THEIR OWN RESPONSIBILITY.

Date of Issue: April 1, 2015

Date of last revision: March 16, 2016