MULSIFAN 400 DT-VEG

Revision Date: May 26, 2015

Version: 1.1 Page 1 of 7

1 - Product and Company Identification

Product name: Mulsifan 400 DT-VEG

Product type/usage/industry: Polyethylene Glycol 400 Ditallate

Manufacturer/Supplier Information: Zschimmer and Schwarz, Inc.

70 GA Hwy. 22 W Milledgeville, GA 31061 Phone: (478) 454-1942

Emergency contact: Company: (478) 454-1942

CHEMTREC (24HR): (800) 424-9300

2 - Hazards Identification

<u>Classification of the substance or mixture:</u> Classification of this substance/mixture is based on

29 CFR 1910.1200/HazCom 2012 (GHS-US)

Not classified

Labelling:

Signal Word: Hazard Symbols:

None None

Precautionary Statements: P262: Do not get in eyes, on skin, or on clothing.

P302+352: IF ON SKIN: Wash with plenty of soap and water. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue

rinsina.

P314: Get medical advice/attention if you feel unwell.

Key to Hazard Categories:

1=Severe Hazard 2=Serious Hazard 3=Moderate Hazard 4=Slight Hazard 5=Minimal Hazard

3 - Composition/Information on Ingredients

CAS NumberMaterial or componentAvg % weight61791-01-3Fatty acids, tall-oil, diesters with polyethylene glycol~ 100%

This is not intended to be a complete compositional disclosure. Information provided pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200/ HazCom 2012). See Section 8 for Exposure Limits, if any.

MULSIFAN 400 DT-VEG

Revision Date: May 26, 2015

Version: 1.1 Page 2 of 7

4 - First Aid Measures

Eyes: Immediately flush with gentle but large stream of water for 15 min, lifting upper and lower eyelids occasionally.

Get medical attention if irritation develops.

Skin: Wash affected area with soap and water. If itching or redness develops, seek medical attention. Contaminated

clothing should be removed immediately and washed before reuse. Contaminated shoes should be discarded.

Inhalation: Move the person to fresh air. If breathing becomes difficult, contact a physician.

Ingestion: Do not induce vomiting. If large amounts were swallowed, give water to drink and get medical attention if you

feel unwell.

5 - Firefighting Measures

Extinguishing Media: Water spray, dry chemical, alcohol foam, or carbon dioxide.

Unsuitable Extinguishing Media: None known.

Special Protective Equipment for

Firefighters:

Self-contained breathing apparatus and protective clothing when fighting any

chemical fire.

Unusual Fire & Explosion Hazards: In case of fire, containers may explode from internal pressure. Cool with water.

May emit toxic fumes of CO and CO2 under fire conditions.

6 - Accidental Release Measures

Personal precautions: Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people

away from and upwind of spill/leak. Ensure adequate ventilation, especially in

confined areas. Keep away from heat and sources of ignition.

Environmental precautions: P273: Avoid release to the environment

Limit leakage with earth or sand. Do not discharge into the drains/surface water/groundwater. Dispose of absorbed material in accordance with local, state

and federal regulations.

Methods for Containment/Cleaning Up: Take up with absorbent material (e.g. vermiculite, general purpose binder).

Dispose of absorbed material in accordance with local, state, and federal

regulations.

7 - Handling and Storage

Handling: P261: Avoid breathing mists of product

P262: Do not get in eyes, on skin, or on clothing

P264: Wash thoroughly after handling P280: Wear protective gloves/eye protection

Storage: P402+404: Store in a dry place. Store in a closed container

> P403+233: Store in a well-ventilated place. Keep container tightly closed Protect from moisture. Store in cool dry places between 32°F (0°C) and 95°F

(35°C).

Special Packaging Requirements: None known.

Incompatible Materials or Fire/Explosion

Protection:

Strong oxidizers, strong acids, and strong bases at high temperatures.

MULSIFAN 400 DT-VEG

Revision Date: May 26, 2015

Faint

Version: 1.1 Page 3 of 7

8 - Exposure Controls/Personal Protection

Personal Protective Equipment (PPE):

Hand Protection: Use impervious gloves.

Eye Protection: Wear safety glasses with side shields.

Skin Protection: Wear protective clothing.

Respiratory Protection: Recommended if ventilation is limited.

Engineering Measures/Controls:

Ventilation: Ensure adequate ventilation to maintain product at acceptable airborne levels.

Other measures: Eye-wash station.

Exposure Limits/Guidelines:

Material CAS # BASIS TYPE VALUE

None

9 - Physical and Chemical Properties

Form and Appearance: Clear to slightly hazy, yellow to amber liquid (25°C) Odor:

pH: ~ 6.0 @ 5% Odor Threshold: N/D

Boiling Point: > 392°F (200°C) **Melting/Freezing point:** < 41°F (5°C) (titer pt.)

Vapor Pressure: $< 0.01 \text{ mmHg} @ 20^{\circ}\text{C}$ Vapor Density (Air=1):N/AFlash Point: $> 347^{\circ}\text{F} (175^{\circ}\text{C}) (\text{COC})$ Evaporation Rate:< 0.01UEL:N/ALEL:N/A

Viscosity:N/DSolubility in Water:DispersibleOctanol/Water PartitionSpecific Gravity/

Coefficient: Specific Gravity/
Specific Gravity/

N/D
Specific Gravity/

~ 0.98

Auto-ignition temperature:N/DDecomposition Temperature:N/DVolatile content:< 1.0%</th>VOC Data:N/D

10 - Stability and Reactivity

Chemical Stability: Product is stable under ordinary conditions of use and storage.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Exposure to moist air or water.

Incompatible Materials: Strong oxidizers, strong acids, and strong bases at high temperatures.

Hazardous Decomposition Products: Extremely high temperatures may produce CO_x; thermal decomposition may

produce irritating aldehydes.

MULSIFAN 400 DT-VEG

Revision Date: May 26, 2015

Version: 1.1 Page 4 of 7

11 - Toxicological Information							
Acute Data:							
Principle Routes of Exposure:		Eye contact, skin contact, ingestion, inhalation (mist).					
Acute Toxicity							
Route of exposure:	Test type:	Species:	Results:		Comments:		
Oral	LD50	Rat	>2000 mg/kg		H303: May be harmful if swallowed.		
Irritation and Corrosio	<u>n</u>						
Target organ:	Species:	Results:		Comments:			
Eyes	Rabbit	Non-irritating		-			
Skin	Rabbit	Non-irritating		-			
Sensitization							
Target organ:	Species:	Results:		Comments:			
Skin	Human	Not sensitizin	g	-			
Specific Target Organ	Toxicity – Single Ex	posure					
Target organ:	Species:	Results:		Comments:			
NDA				-			
Chronic Data:							
Carcinogenicity							
IARC	NTP	A	CGIH	OSH	AA		
No	No	N	lo	No			
Mutagenicity:		NDA					
Reproductive Effects:		NDA					
Target Organ Effects:		NDA					

MULSIFAN 400 DT-VEG

Revision Date: May 26, 2015

Version: 1.1 Page 5 of 7

12 - Ecological Information

Acute Aquatic Toxicity

Species:	Test type:	Exposure time:	Results:	Comments:
Leuciscus idus	LC50	96h	N/D	Expected to possess low toxicity to aquatic organisms.
Daphnia magna	EC50	48h	N/D	-
Algae	EC50	72h	N/D	-

Environmental Fate

Persistence/Degradability: Product is moderately biodegradable.

COD/BOD5: NDA

Bioaccumulation Potential: No bioconcentration is expected because of the relatively high water solubility.

Mobility in Soil: NDA
Other Adverse Effects: NDA

13 - Disposal Considerations

Product: Dispose of absorbed material/content and/or container in accordance with local,

state, federal and/or international regulations.

Packaging: NDA

MULSIFAN 400 DT-VEG

Revision Date: May 26, 2015

Version: 1.1 Page 6 of 7

14 - Transport Regulations

US DOT Regulations (Land Transport):

Proper Shipping Name: Not regulated.
Hazard Class: Not regulated.
UN Number: Not regulated.
Packing Group: Not regulated.
Label Required: Not regulated.
Other Information: Not regulated.

IATA/ICAO Regulations (Air Transport):

Proper Shipping Name:

Hazard Class:

UN Number:

Packing Group:

Label Required:

Other Information:

Not regulated.

Not regulated.

Not regulated.

Not regulated.

IMDG/IMO Regulations (Maritime Transport):

Proper Shipping Name: Not regulated. **Hazard Class:** Not regulated. **UN Number:** Not regulated. Not regulated. **Packing Group: Label Required:** Not regulated. **EMS Number:** Not regulated. Segregation Groups: Not regulated. Marine Pollutant (Y/N): Not regulated. Other Information: Not regulated.

MULSIFAN 400 DT-VEG

Revision Date: May 26, 2015

Version: 1.1 Page 7 of 7

15 - Regulatory Information

Domestic Regulations

Components requiring notification

SARA 302 (TPQ) SARA 304 (RQ) SARA 313 CERCLA (RQ) CAA 112(b) HAPS CAA 112(r)

None None None None None None

SARA 311/312 Hazard Categorization: None

State Information

California Proposition 65: May contain traces (< 100 ppm) of the following components known to the State of

California to cause cancer, birth defects, or other reproductive harm.

Ethylene Oxide (75-21-8) 1,4-Dioxane (123-91-1)

State Right to Know/ Hazardous Substance List Information:

azardous Substance List Substance Lists for the states of MA, MN, NJ, PA and RI.

oubstance Lists for the states of MA, MIN, NO, 1 A and M.

Ethylene Oxide (75-21-8) (trace amounts, if any) 1,4-Dioxane (123-91-1) (trace amounts, if any)

Polyethylene glycols (25322-68-3)

This is not an exhaustive list. For information on listings in other states, please

The following chemicals are present on one or more Right to Know/Hazardous

consult that state's RTK/HSL.

Chemical Inventories

United States	EUROPE (EINECS/	Australia (AICS)	Philippines (PICCS)	Canada		Korea (ECL)	Japan (ENCS/	China (IECSC)	New Zealand
(TSCA)	ELINCS/ NLP)			DSL	NDSL		ISHL)		(NZIoC)
Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes

16 - Additional Information

Key to Abbreviations:

NDA - No data available N/D - Not determined N/A - Not applicable N/E - Not established

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND ZSCHIMMER & SCHWARZ INC. MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES. WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, ZSCHIMMER & SCHWARZ, INC. ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. ZSCHIMMER & SCHWARZ INC. REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES. EXISTING ACTS AND REGULATIONS MUST BE OBSERVED BY THE RECIPIENT OF OUR PRODUCTS UNDER THEIR OWN RESPONSIBILITY.

Date of Issue: December 12, 2013

Date of last revision: May 26, 2015