	1 - Produc	t and Company Id	entifica	ation	
Product name:		Mulsifan 400 MT			
Product type/usage/industry:		Polyethylene Glycol	400 Mon	otallate	
Manufacturer/Supplier Informat	on:	Zschimmer and Sch 70 GA Hwy. 22 W Milledgeville, GA 31 Phone: (478) 454-1	061		
Emergency contact:		Company: CHEMTREC (24HR):	(478) 454-1942 (800) 424-9300	
	<u>2 – </u>	Hazards Identifica	tion		
Classification of the substance	or mixture:			nis substance/mixtu 00/HazCom 2012 ((
Acute Aquatic Toxicity	Category	2 H401	Toxic to	o aquatic life	
Labelling:					
Signal Word:	<u>H</u>	azard Symbols:			
None	N	one			
Precautionary Statements:	P	273: Avoid release to th	e enviror	nment	
Key to Hazard Categories:					
1=Severe Hazard 2=Se	rious Hazard 3=	=Moderate Hazard	4=Sli	ight Hazard	5=Minimal Hazard
	<u>3 – Composit</u>	tion/Information o	n Ingre	edients	
	rial or component acids, tall-oil, ethoxylated				<u>Avg % weight</u> ∼ 100%
This is not intended to be a complete of 1910.1200/ HazCom 2012). See Sec	compositional disclosure. ion 8 for Exposure Limits,	Information provided pu if any.	rsuant to	the OSHA Hazard	Communication Standard (29 CFR
	4	- First Aid Measur	es		

Eyes:	Immediately flush with gentle but large stream of water for 15 min, lifting upper and lower eyelids occasionally. Get medical attention if irritation develops.
Skin:	Wash affected area with soap and water. If itching or redness develops, seek medical attention. Contaminated clothing should be removed immediately and washed before reuse. Contaminated shoes should be discarded.
Inhalation:	Move the person to fresh air. If breathing becomes difficult, contact a physician.
Ingestion:	Do not induce vomiting. If large amounts were swallowed, give water to drink and get medical attention if you feel unwell.

	5 - Firefighting Measures
Extinguishing Media:	Water spray, dry chemical, alcohol foam, or carbon dioxide.
Unsuitable Extinguishing Media:	None known.
Special Protective Equipment for Firefighters:	Self-contained breathing apparatus and protective clothing when fighting any chemical fire.
Unusual Fire & Explosion Hazards:	In case of fire, containers may explode from internal pressure. Cool with water. May emit

MULSIFAN 400 MT

Version: 2.2 Page 2 of 6

	toxic fumes of CO and CO_2 und	er fire conditions.			
	6 - Accidental Release Me	asures			
Personal precautions:	Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition.				
Environmental precautions:	P273: Avoid release to the envir Limit leakage with earth or sand Dispose of absorbed material in	. Do not discharge into the	drains/surface water/groundwater. e and federal regulations.		
Methods for Containment/Cleaning Up:	Take up with absorbent material (e.g. vermiculite, general purpose binder). Dispose of absorbed material in accordance with local, state, and federal regulations.				
	7 - Handling and Stora	<u>ige</u>			
Handling:	P261: Avoid breathing mists of P262: Do not get in eyes, on ski P264: Wash thoroughly after ha P280: Wear protective gloves/e	n, or on clothing ndling			
Storage:	P402+404: Store in a dry place. Store in a closed container P403+233: Store in a well ventilated place. Keep container tightly closed Protect from moisture. Store in cool dry places between 32°F (0°C) and 95°F (35°C).				
Special Packaging Requirements:	None known.				
Incompatible Materials or Fire/Explosion Protection:	Strong oxidizers, strong acids, a	and strong bases at high ten	nperatures.		
<u>8-</u>	- Exposure Controls/Persona	I Protection			
Personal Protective Equipment (PPE):					
Hand Protection:	Use impervious gloves.				
Eye Protection:	Wear safety glasses with side s	hields.			
Skin Protection:	Wear protective clothing.				
Respiratory Protection:	Recommended if ventilation is li	mited.			
Engineering Measures/Controls:					
Ventilation:	Ensure adequate ventilation to r	maintain product at accepta	ble airborne levels.		
Other measures:	Eye-wash station.				
Exposure Limits/Guidelines:					
Material CAS #	BASIS	ТҮРЕ	VALUE		
Nana					

None

Zschimmer & Schwarz GHS Safety Data Sheet

MULSIFAN 400 MT

Version: 2.2 Page 3 of 6

	<u>9 - Physical and</u>	Chemical Properties			
Form and Appearance:	Clear to slightly hazy, yellow to amber liquid	Odor:	Fatty		
pH:	~ 6.5 @ 5%	Odor Threshold:	N/D		
Boiling Point:	> 347°F (175°C)	Melting/Freezing point:	< 40°F (4.4°C) (titer pt.)		
Vapor Pressure:	< 0.1 mmHg @ 20°C	Vapor Density (Air=1):	N/A		
Flash Point:	> 302°F (150°C) (COC)	Evaporation Rate:	< 0.01		
UEL:	N/A	LEL:	N/A		
Viscosity:	N/D	Solubility in Water:	Dispersible		
Octanol/Water Partition Coefficient:	~5.94 (lit.)	Specific Gravity/ Bulk Density:	~ 1.01		
Auto-ignition temperature:	N/D	Decomposition Temperature:	N/D		
Volatile content:	< 1.0%	VOC Data:	N/D		
	<u>10 - Stability</u>	y and Reactivity			
Chemical Stability:	Product is stable	e under ordinary conditions of use and	storage.		
Hazardous Polymerization:	Will not occur.				
Conditions to Avoid:	Exposure to mo	ist air or water.			
Incompatible Materials:	Strong oxidizers	, strong acids, and strong bases at hig	h temperatures.		
Hazardous Decomposition Proc	, , ,	s: Extremely high temperatures may produce CO _x ; thermal decomposition may produce irritating aldehydes.			

Zschimmer & Schwarz GHS Safety Data Sheet

MULSIFAN 400 MT

Version: 2.2 Page 4 of 6

		<u>11 - Toxicologica</u>	al Information	
Acute Data:				
Principle Route	s of Exposure:	Eye contact, s	skin contact, ingestion, in	halation (mist).
Acute Toxicity	·			
Route of exposure:	Test type:	Species:	Results:	Comments:
Oral	LD50	Rat >5000 mg/		1 -
Dermal	NDA			<u>-</u>
Irritation and Corrosion				
Target organ:	Species:	Results:		Comments:
Eyes	Rabbit	Non-irritating		-
Skin	Rabbit	Non-irritating		-
Sensitization				
Target organ:	Species:	Results:		Comments:
Skin	Human	No effects kno	wn	-
Specific Target Organ To	<u>xicity – Single Expo</u> sure	2		
Target organ:	Species:	Results:		Comments:
None				-
Chronic Data:				
Carcinogenicity				
IARC	NTP	ŀ	ACGIH	OSHA
No	No	No		No
Mutagenicity:		NDA		
Reproductive Effects:		NDA		
Target Organ Effects:		NDA		
		<u> 12 - Ecological</u>	Information	
Acute Aquatic Toxicity				
Species:	Test type:	Exposure time:	Results:	Comments:
Brachydanio rerio	LC50	96h	~7.8 mg/l	-
Daphnia magna	EC50	48h	16 mg/l	-
Algae	EC50	72h	>44 mg/l	-
Environmental Fate				
Persistence/Deg	gradability:	Product is readily bio 80 - 90% in 15d	degradable.	
COD/BOD5:		NDA		
Bioaccumulatio	n Potential:		ntial to bioaccumulate.	
Mobility in Soil:		NDA		
Other Adverse I	Effocte	NDA		

MULSIFAN 400 MT

Version: 2.2 Page 5 of 6

		Considerations				
Product:		Dispose of absorbed material/content and/or container in accordance with local, state, federa and/or international regulations.				
Packaging:	NDA					
	<u> 14 - Transpo</u>	ort Regulations				
US DOT Regulations (Land Transport):						
Proper Shipping Name:	Not regulated.					
Hazard Class:	Not regulated.					
UN Number:	Not regulated.					
Packing Group:	Not regulated.					
Label Required:	Not regulated.					
Other Information:	Not regulated.					
ATA/ICAO Regulations (Air Transport):						
Proper Shipping Name:	Not regulated.					
Hazard Class:	Not regulated.					
UN Number:	Not regulated.					
Packing Group:	Not regulated.					
Label Required:	Not regulated.					
Other Information:	Not regulated.					
MDG/IMO Regulations (Maritime Transport):						
Proper Shipping Name:	Not regulated.					
Hazard Class:	Not regulated.					
UN Number:	Not regulated.					
Packing Group:	Not regulated.					
Label Required:	Not regulated.					
EMS Number:	Not regulated.					
Segregation Groups:	Not regulated.					
Marine Pollutant (Y/N):	Not regulated.					
Other Information:	Not regulated.					
	15 - Regulat	ory Information				
Domestic Regulations						
Components requiring notification						
SARA 302 (TPQ) SARA 304 (RQ)	SARA 313	CERCLA (RQ)	CAA 112(b) HAPS	CAA 112(r)		
None None	None	None	None	None		
SARA 311/312 Hazard Categorization:	None					
	Nono					
State Information California Proposition 65:		es (< 100 ppm) of the fo birth defects, or other re	llowing components known to productive harm.	the State of Californ		
	Ethylene Oxide 1,4-Dioxane	(75-21-8) (123-91-1)				

GHS Safety Data Sheet

MULSIFAN 400 MT

Version: 2.2 Page 6 of 6

State Right to Know/

Hazardous Substance List Information:

The following chemicals are present on one or more Right to Know/Hazardous Substance Lists for the states of MA, MN, NJ, PA and RI.

Ethylene Oxide
(75-21-8)

1,4-Dioxane
(123-91-1)

Polyethylene glycols
(25322-68

Polyethylene glycols (25322-68-3) This is not an exhaustive list. For information on listings in other states, please consult that state's RTK/HSL.

Chemical Inventories

United States	(EINECS/ (AICS) (PICCS)	Korea (ECL)	Japan (ENCS/	China (IECSC)	New Zealand (NZIoC)				
(TSCA)	ELINCS/ NLP)			DSL	NDSL		ISHL)		
Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes
			16 - Add	itional I	nformati	on			

Key to Abbreviations: NDA - No data available

N/D - Not determined

N/A - Not applicable

N/E -

Not established

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND ZSCHIMMER & SCHWARZ INC. MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS FOR USE ACCORDINGLY, ZSCHIMMER & SCHWARZ, INC. ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. ZSCHIMMER & SCHWARZ, INC. REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES. EXISTING ACTS AND REGULATIONS MUST BE OBSERVED BY THE RECIPIENT OF OUR PRODUCTS UNDER THEIR OWN RESPONSIBILITY.

Date of Issue: December 29, 2014

Date of last revision: April 30, 2020