

MULSIFAN L61 DT

Revision Date: August 14, 2015

Version: 1.1
Page 1 of 7

1 - Product and Company Identification

Product name: Mulsifan L61 DT

Product type/usage/industry: Polyethylene/polypropylene glycol fatty acid diester

Manufacturer/Supplier Information: Zschimmer and Schwarz, Inc.
70 GA Hwy. 22 W
Milledgeville, GA 31061
Phone: (478) 454-1942

Emergency contact: **Company:** (478) 454-1942
CHEMTREC (24HR): (800) 424-9300

2 – Hazards Identification

Classification of the substance or mixture: Classification of this substance/mixture is based on
29 CFR 1910.1200/HazCom 2012 (GHS-US)

| | | | |
|--------------------------|------------|------|---|
| Chronic Aquatic Toxicity | Category 3 | H412 | Harmful to aquatic life with long lasting effects |
|--------------------------|------------|------|---|

Labelling:

Signal Word:

None

Hazard Symbols:

None

Precautionary Statements: P262: Do not get in eyes, on skin, or on clothing.
P273: Avoid release to the environment
P302+352: IF ON SKIN: Wash with plenty of soap and water.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
P314: Get medical advice/attention if you feel unwell.

Key to Hazard Categories:

1=Severe Hazard 2=Serious Hazard 3=Moderate Hazard 4=Slight Hazard 5=Minimal Hazard

3 – Composition/Information on Ingredients

CAS Number
67784-86-5

Material or component
Tall oil fatty acids, ethoxylated propoxylated

Avg % weight
~ 100%

This is not intended to be a complete compositional disclosure. Information provided pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200/ HazCom 2012). See Section 8 for Exposure Limits, if any.

4 - First Aid Measures

| | |
|--------------------|--|
| Eyes: | Immediately flush with gentle but large stream of water for 15 min, lifting upper and lower eyelids occasionally. Get medical attention if irritation develops. |
| Skin: | Wash affected area with soap and water. If itching or redness develops, seek medical attention. Contaminated clothing should be removed immediately and washed before reuse. Contaminated shoes should be discarded. |
| Inhalation: | Move the person to fresh air. If breathing becomes difficult, contact a physician. |
| Ingestion: | Do not induce vomiting. If large amounts were swallowed, give water to drink and get medical attention. |

5 - Firefighting Measures

| | |
|---|---|
| Extinguishing Media: | Water spray, dry chemical, alcohol foam, or carbon dioxide. |
| Unsuitable Extinguishing Media: | None known. |
| Special Protective Equipment for Firefighters: | Self-contained breathing apparatus and protective clothing when fighting any chemical fire. |
| Unusual Fire & Explosion Hazards: | In case of fire, containers may explode from internal pressure. Cool with water. May emit toxic fumes of CO _x under fire conditions. |

6 - Accidental Release Measures

| | |
|---|---|
| Personal precautions: | Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition. |
| Environmental precautions: | P273: Avoid release to the environment Limit leakage with earth or sand. Do not discharge into the drains/surface water/groundwater. Dispose of absorbed material in accordance with local, state and federal regulations. |
| Methods for Containment/Cleaning Up: | Take up with absorbent material (e.g. vermiculite, general purpose binder). Dispose of absorbed material in accordance with local, state, and federal regulations. |

7 - Handling and Storage

| | |
|---|---|
| Handling: | P261: Avoid breathing mists of product P262: Do not get in eyes, on skin, or on clothing P264: Wash thoroughly after handling P280: Wear protective gloves/eye protection |
| Storage: | P402+404: Store in a dry place. Store in a closed container P403+233: Store in a well ventilated place. Keep container tightly closed Protect from moisture. Store in cool dry places between 32°F (0°C) and 95°F (35°C). |
| Special Packaging Requirements: | None known. |
| Incompatible Materials or Fire/Explosion Protection: | Strong oxidizers, strong acids, and strong bases at high temperatures. |

8 - Exposure Controls/Personal Protection

Personal Protective Equipment (PPE):

| | |
|-------------------------|--|
| Hand Protection: | Use impervious gloves. |
| Eye Protection: | Wear safety glasses with side shields. |
| Skin Protection: | Wear protective clothing. |
| Respiratory Protection: | Recommended if ventilation is limited. |

Engineering Measures/Controls:

| | |
|-----------------|--|
| Ventilation: | Ensure adequate ventilation to maintain product at acceptable airborne levels. |
| Other measures: | Eye-wash station. |

Exposure Limits/Guidelines:

| Material | CAS # | BASIS | TYPE | VALUE |
|----------|-------|-------|------|-------|
| None | | | | |

9 - Physical and Chemical Properties

| | | | |
|--------------------------------------|---|------------------------------------|----------------|
| Form and Appearance: | Clear to hazy, colorless to yellow liquid | Odor: | Characteristic |
| pH: | ~ 6.0 @ 5% | Odor Threshold: | N/D |
| Boiling Point: | > 212°F (100°C) | Melting/Freezing point: | N/D |
| Vapor Pressure: | < 0.13 mmHg @ 20°C | Vapor Density (Air=1): | N/A |
| Flash Point: | > 300°F (149°C) (COC) | Evaporation Rate: | N/D |
| UEL: | N/A | LEL: | N/A |
| Viscosity: | N/D | Solubility in Water: | Dispersible |
| Octanol/Water Partition Coefficient: | N/D | Specific Gravity/ Bulk Density: | ~ 0.99 |
| Auto-ignition temperature: | N/D | Decomposition Temperature: | N/D |
| Volatile content: | N/D | VOC Data: | N/D |

10 - Stability and Reactivity

| | |
|-----------------------------------|---|
| Chemical Stability: | Product is stable under ordinary conditions of use and storage. |
| Hazardous Polymerization: | Will not occur. |
| Conditions to Avoid: | Exposure to moist air or water. |
| Incompatible Materials: | Strong oxidizers, strong acids, and strong bases at high temperatures. |
| Hazardous Decomposition Products: | Extremely high temperatures may produce CO _x ; thermal decomposition may produce irritating aldehydes. |

11 - Toxicological Information

Acute Data:

Principle Routes of Exposure: Eye contact, skin contact, ingestion, inhalation (mist).

Acute Toxicity

| Route of exposure: | Test type: | Species: | Results: | Comments: |
|--------------------|------------|----------|-------------|---|
| Oral | LD50 | Rat | >5000 mg/kg | Derived from product of similar composition |

Irritation and Corrosion

| Target organ: | Species: | Results: | Comments: |
|---------------|----------|-------------------|-----------|
| Eyes | Rabbit | Slight irritation | - |
| Skin | Rabbit | Non-irritating | - |

Sensitization

| Target organ: | Species: | Results: | Comments: |
|---------------|----------|-----------------|-----------|
| Skin | Human | Not sensitizing | - |

Specific Target Organ Toxicity – Single Exposure

| Target organ: | Species: | Results: | Comments: |
|---------------|----------|----------|-----------|
| NDA | | | - |

Chronic Data:

Carcinogenicity

| IARC | NTP | ACGIH | OSHA |
|------|-----|-------|------|
| No | No | No | No |

Mutagenicity: NDA

Reproductive Effects: NDA

Target Organ Effects: NDA

12 - Ecological Information

Acute Aquatic Toxicity

| Species: | Test type: | Exposure time: | Results: | Comments: |
|-----------------|-------------------|-----------------------|-----------------|------------------|
| Fish | LC50 | 96h | NDA | - |
| Daphnia magna | EC50 | 48h | NDA | - |
| Algae | EC50 | 72h | NDA | - |

Environmental Fate

| | |
|-----------------------------------|---|
| Persistence/Degradability: | NDA |
| COD/BOD5: | NDA |
| Bioaccumulation Potential: | Has the potential to bioaccumulate. |
| Mobility in Soil: | NDA |
| Other Adverse Effects: | Chronic Toxicity: Harmful to aquatic life with long lasting effects |

13 - Disposal Considerations

| | |
|-------------------|--|
| Product: | Dispose of absorbed material/content and/or container in accordance with local, state, federal and/or international regulations. |
| Packaging: | NDA |

| |
|-----------------------------------|
| 14 - Transport Regulations |
|-----------------------------------|

US DOT Regulations (Land Transport):

| | |
|------------------------------|----------------|
| Proper Shipping Name: | Not regulated. |
| Hazard Class: | Not regulated. |
| UN Number: | Not regulated. |
| Packing Group: | Not regulated. |
| Label Required: | Not regulated. |
| Other Information: | Not regulated. |

IATA/ICAO Regulations (Air Transport):

| | |
|------------------------------|----------------|
| Proper Shipping Name: | Not regulated. |
| Hazard Class: | Not regulated. |
| UN Number: | Not regulated. |
| Packing Group: | Not regulated. |
| Label Required: | Not regulated. |
| Other Information: | Not regulated. |

IMDG/IMO Regulations (Maritime Transport):

| | |
|--------------------------------|----------------|
| Proper Shipping Name: | Not regulated. |
| Hazard Class: | Not regulated. |
| UN Number: | Not regulated. |
| Packing Group: | Not regulated. |
| Label Required: | Not regulated. |
| EMS Number: | Not regulated. |
| Segregation Groups: | Not regulated. |
| Marine Pollutant (Y/N): | Not regulated. |
| Other Information: | Not regulated. |

15 - Regulatory Information

Domestic Regulations

Components requiring notification

| SARA 302 (TPQ) | SARA 304 (RQ) | SARA 313 | CERCLA (RQ) | CAA 112(b) HAPS | CAA 112(r) |
|----------------|---------------|----------|-------------|-----------------|------------|
| None | None | None | None | None | None |

SARA 311/312 Hazard Categorization:

None

State Information

California Proposition 65:

May contain traces (< 100 ppm) of the following components known to the State of California to cause cancer, birth defects, or other reproductive harm.

Ethylene Oxide (75-21-8)
1,4-Dioxane (123-91-1)
Propylene oxide (75-56-9)

State Right to Know/ Hazardous Substance List Information:

The following chemicals are present on one or more Right to Know/Hazardous Substance Lists for the states of MA, MN, NJ, PA and RI.

Ethylene Oxide (75-21-8) (trace)
1,4-Dioxane (123-91-1) (trace)
Propylene oxide (75-56-9) (trace)

This is not an exhaustive list. For information on listings in other states, please consult that state's RTK/HSL.

Chemical Inventories

| United States (TSCA) | EUROPE (EINECS/ELINCS/NLP) | Australia (AICS) | Philippines (PICCS) | Canada | | Korea (ECL) | Japan (ENCS/ISHL) | China (IECSC) | New Zealand (NZIoC) |
|----------------------|----------------------------|------------------|---------------------|--------|------|-------------|-------------------|---------------|---------------------|
| | | | | DSL | NDSL | | | | |
| Yes | Yes | Yes | Yes | Yes | No | Yes | No | Yes | Yes |

16 - Additional Information

Key to Abbreviations:

NDA - No data available N/D - Not determined N/A - Not applicable N/E - Not established

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND ZSCHIMMER & SCHWARZ INC. MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, ZSCHIMMER & SCHWARZ, INC. ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. ZSCHIMMER & SCHWARZ INC. REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES. EXISTING ACTS AND REGULATIONS MUST BE OBSERVED BY THE RECIPIENT OF OUR PRODUCTS UNDER THEIR OWN RESPONSIBILITY.

Date of Issue: December 29, 2014

Date of last revision: August 14, 2015