	<u>1 - Prc</u>	oduct and Company Ider	ntification	
Product name:		Mulsifan S40HO-H		
Product type/usage/indu	ustry:	Polyoxyethylene sorbit Emulsifier/Formulation		
Manufacturer/Supplier I	nformation:	Zschimmer and Schwa 70 GA Hwy. 22 W Milledgeville, GA 3106 Phone: (478) 454-194	1	
Emergency contact:		Company: CHEMTREC (24HR):	(478) 454-1942 (800) 424-9300	
		2 – Hazards Identification	<u>on</u>	
Classification of the s	substance or mixture:		ion of this substance/m 910.1200/HazCom 201	
Not classified				
Labelling:				
Signal Word:		Hazard Symbols:		
None		None		
Precautionary Stateme	P302+352: IF P305+351+33 lenses if prese	get in eyes, on skin, or on cloth ON SKIN: Wash with plenty of 8: IF IN EYES: Rinse cautious ent and easy to do – continue r dical advice/attention if you fee	soap and water. ly with water for several i insing.	minutes. Remove contact
Key to Hazard Categorie	es:			
1=Severe Hazard	2=Serious Hazard	3=Moderate Hazard	4=Slight Hazard	5=Minimal Hazard
	<u>3 – Com</u>	position/Information on	Ingredients	
<u>CAS Number</u> 57171-56-9	Material or component Poly(oxy-1,2-ethanediyl) with D-glucitol (6:1)	, α-hydro-ω-[[(9Ζ)-1-oxo-9-oct	adecen-1-yl]oxy]-, ether	<u>Avg % weight</u> ~ 100%

This is not intended to be a complete compositional disclosure. Information provided pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200/ HazCom 2012). See Section 8 for Exposure Limits, if any.

MULSIFAN S40HO-H

Issue Date: June 2, 2016

Version: 1.0 Page 2 of 6

	<u>4 - First Aid Measures</u>	
Eyes:	Immediately flush with gentle but large stream of water for 15 min, lifting upper and lower eyelids occasionally. Get medical attention if irritation develops or persists.	<u>P305: I</u> occasio
Skin:	Wash affected area with soap and water. If itching or redness develops, seek medical attention. Contaminated clothing should be removed immediately and washed before reuse. Contaminated shoes should be discarded.	<u>P302: I</u> Contan discard
Inhalation:	Move the person to fresh air. If breathing becomes difficult, contact a physician.	P304: I
Ingestion:	Do not induce vomiting. If large amounts were swallowed, give water to rinse mouth and get medical attention if you feel unwell.	<u>P301: I</u> medica

	5 - Firefighting Measures
Extinguishing Media:	Water spray, dry chemical, alcohol foam, or carbon dioxide.
Unsuitable Extinguishing Media:	Water jet.
Special Protective Equipment for Firefighters:	Self-contained breathing apparatus and protective clothing when fighting any chemical fire.
Unusual Fire & Explosion Hazards:	In case of fire, containers may explode from internal pressure. Cool with water. May emit toxic fumes of CO and CO ₂ under fire conditions.

6 - Accidental Release Measures				
Personal precautions:	Avoid breathing mists of product. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Wear protective gloves/eye protection.			
Environmental precautions:	P273: Avoid release to the environment Limit leakage with earth or sand. Do not discharge into the drains/surface water/groundwater. Dispose of absorbed material in accordance with local, state and federal regulations.			
Methods for Containment/Cleaning Up:	Take up with absorbent material (e.g. vermiculite, general purpose binder). Dispose of absorbed material in accordance with local, state, and federal regulations.			

7 - Handling and Storage				
Handling:	P261: Avoid breathing mists of product P262: Do not get in eyes, on skin, or on clothing			
	P264: Wash thoroughly after handling P280: Wear protective gloves/eye protection			
Storage:	P402+404: Store in a dry place. Store in a closed container P403+233: Store in a well ventilated place. Keep container tightly closed Protect from moisture.			
Special Packaging Requirements:	None known.			
Incompatible Materials or Fire/Explosion Protection:	Strong oxidizers.			

Zschimmer & Schwarz GHS Safety Data Sheet

MULSIFAN S40HO-H

Version: 1.0 Page 3 of 6

	8	- Exposure Controls/Persor	nal Protection				
Personal Protective I	Equipment (PPE):						
Hand Protect	ction:	Use impervious gloves.					
Eye Protect	ion:	Wear safety glasses with side shields.					
Skin Protect	tion:	Wear protective clothing.					
Respiratory	Protection:	Recommended if ventilation is limited.					
Engineering Measure	es/Controls:						
Ventilation:		Ensure adequate ventilation	Ensure adequate ventilation to maintain product at acceptable airborne levels.				
Other meas	ures:	Eye-wash station.	Eye-wash station.				
Exposure Limits/Gui	delines:						
Material	CAS #	BASIS	ТҮРЕ	VALUE			
None							

Form and Appearance:	Clear to slightly hazy, yellow to amber liquid	Odor:	Sweet
pH:	~6.0 @ 5%	Odor Threshold:	N/D
Boiling Point:	> 545°F (285°C)	Melting/Freezing point:	~ -22°F (-30°C) (pour point)
Vapor Pressure:	N/D	Vapor Density (Air=1):	N/D
Flash Point:	~ 545°F (285°C) (COC)	Evaporation Rate:	N/D
UEL:	N/D	LEL:	N/D
Viscosity:	~ 250 cps @ 25°C	Solubility in Water:	Dispersible
Octanol/Water Partition Coefficient:	N/D	Specific Gravity/ Bulk Density:	~ 1.04 @ 25°C
Auto-ignition temperature:	N/D	Decomposition Temperature:	N/D
Volatile content:	N/D	VOC Data:	N/D

9 - Physical and Chemical Properties

	10 - Stability and Reactivity
Chemical Stability:	Product is stable under ordinary conditions of use and storage.
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	Exposure to moist air or water, extreme heat, sources of ignition.
Incompatible Materials:	Strong oxidizers.
Hazardous Decomposition Products:	Extremely high temperatures and thermal decomposition may produce CO_{x} .

Zschimmer & Schwarz

GHS Safety Data Sheet

MULSIFAN S40HO-H

		<u>11 - Toxicologica</u>	I Information	
Acute Data:				
Acute Data: Principle Routes	s of Exposure:	Eve contact.	skin contact, ingestion,	inhalation (mist).
-		_, • • • • • • • • • • • • • • • • • • •		······································
Acute Toxicity				
Route of exposure:	Test type:	Species:	Results:	Comments:
Oral	LD50	Rat	>31,600 mg/	kg -
Irritation and Corrosion				
Target organ:	Species:	Results:		Comments:
Eyes	Rabbit	Non-irritating		-
Skin	Rabbit	Non-irritating		-
Sensitization				
Target organ:	Species:	Results:		Comments:
Skin	Human	No effects kno	wn	-
Specific Target Organ To	xicity – Single Expos	ure		
Target organ:	Species:	Results:		Comments:
None	•			-
Chronic Data:				
Carcinogenicity				
IARC	NTP	A	CGIH	OSHA
No	No	N	0	No
Mutagenicity:		No effects		
Reproductive Effects:		No effects		
-				
Target Organ Effects:		NDA		
		<u> 12 - Ecological </u>	nformation	
Acute Aquatic Toxicity				
Species:	Test type:	Exposure time:	Results:	Comments:
Rainbow trout	LC50	96h	NDA	No toxicity expected for any
	2030	3011		organisms at water solubility
				limit.
Environmental Fate				
Persistence/Deg	gradability:	Product is readily bic	degradable.	
COD/BOD5:		NDA		
Bioaccumulatio		NDA		
Mobility in Soil:		NDA		
Other Adverse E	Effects:	NDA		

Zschimmer & Schwarz GHS Safety Data Sheet

MULSIFAN S40HO-H

Version: 1.0 Page 5 of 6

Product:			rbed material/content and/ ternational regulations.	or container in accordan	ce with local, state
Packaging:		NDA			
		<u>14 - Transpo</u>	ort Regulations		
US DOT Regulations (L	and Transport):				
Proper Shippin	ng Name:	Not regulated.			
Hazard Class:		Not regulated.	UN Number:	Not regulated.	
Packing Group) :	Not regulated.	Label Required:	Not regulated.	
Other Informat	ion:	Not regulated.			
IATA/ICAO Regulations	(Air Transport):				
Proper Shippir	ng Name:	Not regulated.			
Hazard Class:		Not regulated.	UN Number:	Not regulated.	
Packing Group) :	Not regulated.	Label Required:	Not regulated.	
Other Informat	ion:	Not regulated.			
IMDG/IMO Regulations	(Maritime Transport):				
Proper Shippi	ng Name:	Not regulated.			
Hazard Class:		Not regulated.	UN Number:	Not regulated.	
Packing Group) :	Not regulated.	Label Required:	Not regulated.	
EMS Number:		Not regulated.	Segregation Groups:	Not regulated.	
Marine Polluta	nt (Y/N):	Not regulated.			
Other Informat	tion:	Not regulated.			
		<u>15 - Regulat</u>	ory Information		
Domestic Regulations					
Components requiring	notification				
SARA 302 (TPQ)	SARA 304 (RQ)	SARA 313	CERCLA (RQ)	CAA 112(b) HAPS	CAA 112(r)
None	None	None	None	None	None
SARA 311/312 Hazard C	Categorization:	None			
State Information					
California Prop	position 65:		es (< 10 ppm) of the follow se cancer, birth defects, o		
		Ethylene Oxide 1,4-Dioxane	(75-21-8) (123-91-1)		
State Right to Hazardous Sul Information:			emicals are present on on for the states of MA, MN,		/Hazardous
mormation.		Ethylene Oxide 1,4-Dioxane		ce amounts, if any) ace amounts, if any)	
		This is not an exh state's RTK/HSL.	austive list. For information	on listings in other states	, please consult that

Zschimmer & Schwarz

GHS Safety Data Sheet

MULSIFAN S40HO-H

Issue Date: June 2, 2016

Version: 1.0 Page 6 of 6

Chemical Inventories

United States	EUROPE (EINECS/	Australia (AICS)	Philippines (PICCS)	Ca	nada	Korea (ECL)	Japan (ENCS/	China (IECSC)	New Zealand (NZIoC)
(TSCA)	ELINCS/ NLP)			DSL	NDSL		ISHL)		
Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes
			<u> 16 - Add</u>	itional I	nformat	ion			

NDA - No data available N/D - Not determined N/A - Not applicable N/E - Not established

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND ZSCHIMMER & SCHWARZ INC. MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, ZSCHIMMER & SCHWARZ, INC. ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. ZSCHIMMER & SCHWARZ INC. REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES. EXISTING ACTS AND REGULATIONS MUST BE OBSERVED BY THE RECIPIENT OF OUR PRODUCTS UNDER THEIR OWN RESPONSIBILITY.

Date of Issue: June 2, 2016

Date of last revision: June 2, 2016