	<u>I - Product an</u>	u company	<u>ldentification</u>	
Product name:		Phosphetal NP-	6-T	
Product type/usage/industry:		Ethoxylated alco	hol phosphate/Emul	sifier
Manufacturer/Supplier Inform	ation:	Zschimmer and 70 GA Hwy. 22 Milledgeville, GA Phone: (478) 4	W A 31061	
Emergency contact:		Company: CHEMTREC (24	(478) 454 (800) 424 <b>(</b> 800)	
	<u>2 – Ha</u>	zards Identifi	<u>cation</u>	
Classification of the subst	ance or mixture:		ification of this substa R 1910.1200/HazCo	ance/mixture is based on m 2012 (GHS-US)
Acute Toxicity (Oral)	Category 4	H302	Harmful if swallow	ved
Skin Corrosion/Irritation	Category 1C	H314	Causes severe sl	kin burns and eye damage
Acute Aquatic Toxicity	Category 3	H402	Harmful to aquati	c life
Signal Word:	Haz			
DANGER!		ard Symbols:		
DANGER!	P260: Do not breather P264: Wash thorough P270: Do not eat, drin P273: Avoid release of P280: Wear protectiv P301+330+331: IF SV P303+361+353: IF O skin with water/ show P363: Wash contamin P305+351+338: IF IN contact lenses if press P304+340: IF INHAL P310: Immediately ca P405: Store locked u	e dusts/mists. hly after handling hk or smoke whe to the environme e gloves/protecti WALLOWED: Ri N SKIN (or hair): er. hated clothing be I EYES: Rinse ca ent and easy to b ED: Remove per all a POISON CE p.	n using this product. nt. ve clothing/eye prote nse mouth. Do NOT Take off immediatel efore reuse. autiously with water f do – continue rinsing son to fresh air and l NTER/doctor.	ection/face protection. induce vomiting. y all contaminated clothing. Rinse or several minutes. Remove keep comfortable for breathing.
	P260: Do not breather P264: Wash thorough P270: Do not eat, drin P273: Avoid release of P280: Wear protectiv P301+330+331: IF SV P303+361+353: IF O skin with water/ show P363: Wash contamin P305+351+338: IF IN contact lenses if press P304+340: IF INHAL P310: Immediately ca P405: Store locked u	e dusts/mists. hly after handling hk or smoke whe to the environme e gloves/protecti WALLOWED: Ri N SKIN (or hair): er. hated clothing be I EYES: Rinse ca ent and easy to b ED: Remove per all a POISON CE p.	n using this product. nt. ve clothing/eye prote nse mouth. Do NOT Take off immediatel efore reuse. autiously with water f do – continue rinsing son to fresh air and l NTER/doctor.	ection/face protection. induce vomiting. y all contaminated clothing. Rinse or several minutes. Remove

Version: 1.3 Page 2 of 7

	<u>3 – Co</u>	mposition/Information on Ingredients			
CAS Numb			Avg % weight		
68412-53-3	B Poly (oxy-1, 2-eth phosphates	anediyl)- $\alpha$ - (nonylphenyl)- $\omega$ -hydroxy, branched,	60 - 80%		
68412-54-4		nediyl), $\alpha$ -(nonylphenol)- $\omega$ -hydroxy-, branched	20 - 40%		
7664-38-2	Phosphoric acid		< 2%		
his is not intended 910.1200/ HazCom	to be a complete compositional d n 2012). See Section 8 for Expos	isclosure. Information provided pursuant to the OSHA Haza ure Limits, if any.	rd Communication Standard (29 CFF		
		<u> 4 - First Aid Measures</u>			
Eyes:		r for several (15) minutes. Remove contact lenses if pi POISON CENTER or doctor/physician.	resent and easy to do – continue		
Skin:	Remove/Take off immediat advice/attention.	ely all contaminated clothing. Rinse skin with water/sh	nower. Get medical		
Inhalation:	Remove victim to fresh air CENTER or doctor/physicia	and keep at rest in a position comfortable for breathing	g. Immediately call a POISON		
Ingestion:	Rinse mouth. Do NOT indu	ice vomiting. Immediately call a POISON CENTER or	doctor/physician.		
		5 - Firefighting Measures			
Extinguishing N	ledia:	Water spray, dry chemical, alcohol foam, or carbo	n dioxide.		
Unsuitable Extin	nguishing Media:	Water jet.			
<b>Special Protective Equipment for</b> <b>Firefighters:</b> Self-contained breathing apparatus and protective clothing when fighting a chemical fire.					
Unusual Fire & Explosion Hazards: In case of fire, containers may explode from internal pressure. Cool with water May emit toxic fumes of CO <sub>x</sub> and PO <sub>x</sub> under fire conditions.					
		6 - Accidental Release Measures			
Personal precau	utions:	Avoid contact with skin and eyes. Avoid breathing away from and upwind of spill/leak. Ensure adequ confined areas. Keep away from heat and sources	ate ventilation, especially in		
Environmental p	precautions:	P273: Avoid release to the environment Limit leakage with earth or sand. Do not discharge into the drains/surface water/groundwater. Dispose of absorbed material in accordance with local, state and federal regulations.			
Methods for Co	ntainment/Cleaning Up:	Use neutralizing agent. Take up with absorbent material (e.g. vermiculite, general purpose binder). Dispose of absorbed material in accordance with local, state, and federal regulations.			
		7 - Handling and Storage			
Handling:		P261: Avoid breathing mists/vapors of product P262: Do not get in eyes, on skin, or on clothing P264: Wash thoroughly after handling P280: Wear protective gloves/protective clothing/e	eye protection/face protection		
Storage:       P402+404: Store in a dry place. Store in a closed container         P403+233: Store in a well ventilated place. Keep container tightly closed.         Protect from frost.					
Special Packagi	ing Requirements:	P406: Store in a corrosive resistant container with Do not store in light metal containers.	a resistant inner liner.		
Incompatible Ma	aterials or Fire/Explosion	Oxidizers, reducers, alkaline materials, light metal	S.		

## Zschimmer & Schwarz GHS Safety Data Sheet

# **PHOSPHETAL NP-6-T**

Version: 1.3 Page 3 of 7

8 - Exposure Controls/Personal Protection						
Personal Protective Equipment (PPE):						
Hand Protection:	Use impervious gloves.					
Eye Protection:	Wear safety glasses with side shields or full face shield.					
Skin Protection:	Wear protective clothing.					
<b>Respiratory Protection:</b>	Recommended if ventilation is limited.					
Engineering Measures/Controls:						
Ventilation:	Ensure adequate ventilation to maintain product at acceptable airborne levels.					
Other measures:	Eye-wash station.					

#### **Exposure Limits/Guidelines:**

Material	CAS #	BASIS	TYPE	VALUE
Phosphoric acid	7664-38-2	ACGIH	TWA	1 mg/m3
		OSHA	TWA	1 mg/m3

9 - Physical and Chemical Properties						
Form and Appearance:	Clear, yellow to amber liquid	Odor:	Characteristic			
pH:	~ 2 @ 1%	Odor Threshold:	N/D			
Boiling Point:	>212°F (100°C)	Melting/Freezing point:	N/D			
Vapor Pressure:	N/D	Vapor Density (Air=1):	N/D			
Flash Point:	>212°F (100°C)	Evaporation Rate:	N/D			
UEL:	N/D	LEL:	N/D			
Viscosity:	N/D	Solubility in Water:	Dispersible			
Octanol/Water Partition Coefficient:	N/A	Specific Gravity/ Bulk Density:	~1.09			
Auto-ignition temperature:	N/D	Decomposition Temperature:	N/D			
Volatile content:	N/D	VOC Data:	N/D			
	<u>10 - Stability</u>	and Reactivity				
Chemical Stability:	Product is stab	le under ordinary conditions of u	ise and storage.			

onennear otabinty.	Trouble is stable under ordinary conditions of use and storage.
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	Extreme temperatures, ignition sources, contact with light metals.
Incompatible Materials:	Strong oxidizers, acids, alkaline materials, light metals.
Hazardous Decomposition Products:	Extremely high temperatures and fire conditions may produce CO <sub>x</sub> and PO <sub>x</sub> .

**Target Organ Effects:** 

#### **11 - Toxicological Information** Acute Data: Principle Routes of Exposure: Eye contact, skin contact, ingestion, inhalation (mist). **Acute Toxicity** Route of exposure: Test type: Species: **Results: Comments:** Oral LD50 Rat >1300 mg/kg H302: Harmful if swallowed Irritation and Corrosion **Results:** Comments: Target organ: Species: Rabbit Irreversible eye damage possible Eyes Severely irritating Skin Rabbit Serious irritation Skin burns possible **Sensitization** Target organ: Species: **Results:** Comments: Skin No effects known Human Specific Target Organ Toxicity - Single Exposure Target organ: Species: **Results:** Comments: None known Chronic Data: Carcinogenicity IARC NTP ACGIH OSHA No No No No **Mutagenicity:** NDA **Reproductive Effects:** NDA

NDA

## Zschimmer & Schwarz GHS Safety Data Sheet

# **PHOSPHETAL NP-6-T**

<u>12 - Ecological Information</u>							
Acute Aquatic Toxicity							
Species:	Test type:	Exposure time:	Results:	Comments:			
Rainbow trout	LC50	96h	10 – 100 mg/l	H402: Harmful to aquatic life			
Daphnia magna	EC50	48h	10 – 100 mg/l	H402: Harmful to aquatic life			
Algae	EC50	72h	10 – 100 mg/l	H402: Harmful to aquatic life			
Environmental Este							
Environmental Fate Persistence/De	egradability:	NDA					
COD/BOD5:		NDA					
Bioaccumulatio	on Potential:	NDA					
Mobility in Soil	:	NDA					
Other Adverse	Effects:	NDA					

13 - Disposal Considerations					
Product:	Dispose of absorbed material/content and/or container in accordance with local,				
Packaging:	state, federal and/or international regulations. NDA				

## Zschimmer & Schwarz

#### **GHS Safety Data Sheet**

# **PHOSPHETAL NP-6-T**

Revision Date: May 7, 2018

Version: 1.3 Page 6 of 7

	<u>14 - Transport Regulations</u>
US DOT Regulations (Land Transport):	
Proper Shipping Name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Phosphate, alkoxylated, free acid)
Hazard Class:	8
UN Number:	UN3265
Packing Group:	III
Label Required:	CORROSIVE
Other Information:	-
ATA/ICAO Regulations (Air Transport)	:
Proper Shipping Name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Phosphate, alkoxylated, free acid)
Hazard Class:	8
UN Number:	UN3265
Packing Group:	III
Label Required:	CORROSIVE
Other Information:	-
MDG/IMO Regulations (Maritime Trans	port):
Proper Shipping Name:	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Phosphate, alkoxylated, free acid)
Hazard Class:	8
UN Number:	UN3265
Packing Group:	III
Label Required:	CORROSIVE
EMS Number:	F-A,S-B
Segregation Groups:	Acids
Marine Pollutant (Y/N):	Υ
Other Information:	

```
Version: 1.3
Page 7 of 7
```

#### GHS Safety Data Sheet

15 - Regulatory Information								
Domestic Regulation								
SARA 302 (TPQ)	SARA 304 (RQ)	SARA 313	CERCLA (RO	Q) CAA 112(b) HAPS	CAA 112(r)			
None	None	None	Phosphoric aci 7664-38-2 (5000 lbs)	d - None	None			
SARA 311/312 Hazard	Categorization:	Acute Health H	azard					
State Information								
California Proposition 65:		May contain the following components known to the State of California to cause cancer, birth defects, or other reproductive harm.						
		Ethylene Oxide 1,4-Dioxane	```	21-8) (trace amounts, if any) -91-1)(trace amounts, if any)				
	o Know/ ubstance List	The following chemicals are present on one or more Right to Know/Hazardous Substance Lists for the states of MA, MN, NJ, PA and RI.						
Information:				4-38-2) 21-8) (trace amounts, if any) -91-1) (trace amounts, if any)				
		This is not an exh state's RTK/HSL.		nformation on listings in other stat	es, please consult that			
Chemical Inventories								

United States	EUROPE (EINECS/	Australia (AICS)	Philippines (PICCS)	Canada		Korea (ECL)	Japan (ENCS/	China (IECSC)	New Zealand
(TSCA)	ELINCS/ NLP)			DSL	NDSL		ISHL)		(NZIoC)
Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes
16 - Additional Information									

#### Key to Abbreviations:

NDA -	No data available	N/D -	Not determined	N/A -	Not applicable	N/E -	Not established

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND ZSCHIMMER & SCHWARZ INC. MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, ZSCHIMMER & SCHWARZ, INC. ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. ZSCHIMMER & SCHWARZ INC. REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES. EXISTING ACTS AND REGULATIONS MUST BE OBSERVED BY THE RECIPIENT OF OUR PRODUCTS UNDER THEIR OWN RESPONSIBILITY.

Date of Issue:	October 14, 2014
Date of last revision:	May 7, 2018