<u>1 - Product a</u>	nd Company Identification
Product name:	Purton 9483
Product type/usage/industry:	Emulsifier and lubricant
Manufacturer/Supplier Information:	Zschimmer and Schwarz, Inc. 70 GA Hwy. 22 W Milledgeville, GA 31061 Phone: (478) 454-1942
Emergency contact:	Company:(478) 454-1942CHEMTREC (24HR):(800) 424-9300
<u>2 – Ha</u>	zards Identification
Classification of the substance or mixture:	Classification of this substance/mixture is based on 29 CFR 1910.1200/HazCom 2012 (GHS-US)
Serious Eye Damage/Irritation Category 2A	H319 Causes serious eye irritation
Skin Corrosion/Irritation Category 2	H315 Causes skin irritation
Labelling:	
Signal Word: Haz	ard Symbols:
	e gloves/eye protection/face protection.
contact lenses if pres P337+313: If eye irrit P302+352: IF ON Sk P332+313: If skin irrit P362+364: Take off c	V EYES: Rinse cautiously with water for several minutes. Remove sent and easy to do – continue rinsing. ation persists get medical advice/attention. (IN: Wash with plenty of soap and water. tation occurs: Get medical advice/attention. contaminated clothing and wash it before reuse.
Key to Hazard Categories: 1=Severe Hazard 2=Serious Hazard 3=M	oderate Hazard 4=Slight Hazard 5=Minimal Hazard
3 – Composition	n/Information on Ingredients
CAS NumberMaterial or componentProprietaryFatty alkanolamide110-97-4Diisopropanolamine	<u>Avg % weight</u> 60 – 75% 25 – 40%

This is not intended to be a complete compositional disclosure. Information provided pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200/ HazCom 2012). See Section 8 for Exposure Limits, if any.

**PURTON 9483** 

		<u>4 - First Aid Measures</u>			
Eyes:	Immediately flush with gentle but large stream of water for 15 min, lifting upper and lower eyelids occasionally. Get medical attention.				
Skin:	Wash affected area with soap and water. If itching or redness develops, seek medical attention. Contaminated clothing should be removed immediately and washed before reuse. Contaminated shoes should be discarded.				
Inhalation: Move the person to fresh air. If breathing becomes difficult, contact a physician.					
Ingestion:	Do not induce vomiting. If la attention.	arge amounts were swallowed, give water to rinse mouth and get immediate medical			
		<u>5 - Firefighting Measures</u>			
Extinguishing		Water spray, dry chemical, alcohol foam, or carbon dioxide.			
	tinguishing Media:	Water jet - may spread fire.			
Special Protec Firefighters:	tive Equipment for	Self-contained breathing apparatus and protective clothing when fighting any chemical fire.			
Unusual Fire 8	& Explosion Hazards:	In case of fire, containers may explode from internal pressure. Cool with water. May emit toxic fumes of $CO_x$ and $NO_x$ under fire conditions.			
	6	6 - Accidental Release Measures			
Personal preca	autions:	Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition.			
Environmenta	I precautions:	P273: Avoid release to the environment Limit leakage with earth or sand. Do not discharge into the drains/surface water/groundwater. Dispose of absorbed material in accordance with local, state and federal regulations.			
Methods for C	ontainment/Cleaning Up:	Take up with absorbent material (e.g. vermiculite, general purpose binder). Dispose of absorbed material in accordance with local, state, and federal regulations.			
		7 - Handling and Storage			
Handling:		P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking P261: Avoid breathing mists of product P262: Do not get in eyes, on skin, or on clothing P264: Wash thoroughly after handling P280: Wear protective gloves/eye protection/face protection			
Storage:		P402+404: Store in a dry place. Store in a closed container P403+233: Store in a well-ventilated place. Keep container tightly closed Protect from moisture and freezing. Do not store together with acids. Store below 122°F (50°C).			
Special Packa	ging Requirements:	Do not store in aluminum, zinc, copper, or galvanized containers.			
Incompatible M Protection:	Materials or Fire/Explosion	Store away from strong oxidizers, bases, strong acids.			

## **PURTON 9483**

Version: 1.1 Page 3 of 7

	<u>8 - Expo</u>	sure Control	s/Personal	Protection	
Personal Protective Equipm	ent (PPE):				
Hand Protection:		Use impervious g	gloves.		
Eye Protection:		Wear safety glas	ses with side s	shields or full fac	e shield.
Skin Protection:		Wear protective	clothing.		
Respiratory Protect	ion:	Recommended in	f ventilation is	limited.	
Engineering Measures/Cont	rols:				
Ventilation:		Ensure adequate	e ventilation to	maintain produc	t at acceptable airborne levels.
Other measures:		Eye-wash station	٦.		
Exposure Limits/Guidelines	:				
Material	CAS #	BASI	S	TYPE	VALUE
None					
	0.0	avaiaal and Cl	homical Dr		
	<u>9-P</u>	nysical and Cl	nemical Pro	<u>operties</u>	
Form and Appearance:	White solid, cle	ar when warm	Odor:		Amine
pH:	~10.0 @ 1%		Odor Thresh	nold:	N/D
Boiling Point:	N/D		Melting/Free	zing point:	N/D
Vapor Pressure:	N/D		Vapor Densi	ty (Air=1):	N/D
Flash Point:	>302°F (150°C	)	Evaporation	Rate:	< 0.01
UEL:	N/D		LEL:		N/D
Viscosity:	N/D		Solubility in	Water:	Slightly soluble
Octanol/Water Partition Coefficient:	N/D		Specific Gra Bulk Density	/:	~ 0.93 @ 46°C
Auto-ignition temperature:	N/D		Decomposit Temperature		N/D
Volatile content:	N/D		VOC Data:	<b>.</b>	N/D
		10 - Stability a	and Reactiv	vity	
Chemical Stability:		Product is stable			se and storage.
Hazardous Polymerization:		Will not occur.			
Conditions to Avoid:		Avoid exposure t	to extreme hea	t / ignition sourc	es.
Incompatible Materials:		To strong oxidize containers.	ers, bases, stro	ong acids; alumir	num, copper, zinc, and galvanize
Hazardous Decomposition	Products:		emperatures a	nd thermal deco	mposition may produce $CO_x$ and

**PURTON 9483** 

Version: 1.1 Page 4 of 7

		<u>11 - T</u>	oxicological Info	rmation	
Acute Data: Principle Route	es of Exposure:		Eye contact, skin co	ontact, ingestion, inhalatio	on (mist).
Acute Toxicity					
Route of exposure:	Test type:	Spec	cies:	Results:	Comments:
Oral	LD50	Rat		>2000 mg/kg (based on product of similar composition)	H303: May be harmful if swallowed (can cause burns of the mouth and esophagus)
Irritation and Corrosion					
Target organ:	Species:		Results:	Comme	nts:
Eyes	Rabbit		Serious irritation	-	
Skin	Rabbit		Irritating	-	
Sensitization					
Target organ:	Species:		Results:	Comme	ents:
Skin	Human		Not sensitizing	-	
Specific Target Organ T	oxicity – Sinale Exr	oosure			
Target organ:	Species:		Results:	Comme	nts:
NDA				-	
Chronic Data:					
<b>Carcinogenicity</b>					
IARC	NTP		ACGIH		OSHA
No	No		No		No
Mutagenicity:		NDA			
Reproductive Effects:		NDA			
Target Organ Effects:		Repe	eated ingestion may c	ause kidney or liver effec	ts.

Version: 1.1 Page 5 of 7

12 - Ecological Information					
Acute Aquatic Toxicity					
Species:	Test type:	Exposure time:	Results:	Comments:	
Fish	LC50	96h	>100 mg/l	Derived from product of similar composition	
Environmental Fate					
Persistence/Degr	adability:	Product is expected	to be readily biodegra	adable.	
COD/BOD5:		NDA			
Bioaccumulation	Potential:	Not expected to bio	accumulate.		
Mobility in Soil:		NDA			
Other Adverse Ef	fects:	NDA			
		13 - Disposal Co	nsiderations		
Product:			d material/content and	l/or container in accordance with local,	
Packaging:		NDA			

## Zschimmer & Schwarz GHS Safety Data Sheet

Other Information:

# **PURTON 9483**

### Version: 1.1 Page 6 of 7

	14 - Transport Regulations
US DOT Regulations (Land Transport):	
Proper Shipping Name:	Not regulated.
Hazard Class:	Not regulated.
UN Number:	Not regulated.
Packing Group:	Not regulated.
Label Required:	Not regulated.
Other Information:	Not regulated.
ATA/ICAO Regulations (Air Transport)	:
Proper Shipping Name:	Not regulated.
Hazard Class:	Not regulated.
UN Number:	Not regulated.
Packing Group:	Not regulated.
Label Required:	Not regulated.
Other Information:	Not regulated.
MDG/IMO Regulations (Maritime Trans	sport):
Proper Shipping Name:	Not regulated.
Hazard Class:	Not regulated.
UN Number:	Not regulated.
Packing Group:	Not regulated.
Label Required:	Not regulated.
EMS Number:	Not regulated.
Segregation Groups:	Not regulated.
Marine Pollutant (Y/N):	Not regulated.

Not regulated.

### **Zschimmer & Schwarz**

**PURTON 9483** 

GHS	Safety	Data	Sheet
-----	--------	------	-------

		<u> 15 - Reg</u> u	ulatory	Informa	tion			
Domestic Regulati	<u>ons</u>							
Components requiri	ng notification							
SARA 302 (TPQ)	SARA 304 (RQ)	SARA 313	в С	ERCLA (F	RQ)	CAA 112(b) H	APS C	CAA 112(r)
None	None	None		None		None		None
SARA 311/312 Hazar	d Categorization:	Acute Hea	lth Hazar	d				
State Information								
California P	roposition 65:					ollowing compo , or other repro		to the State of
		None.						
	Substance List		0			one or more R N, NJ, PA and	0	lazardous
Information	1	Diisopropa	nolamine	e (11	0-97-4)			
		This is not a state's RTK/		ive list. For	informatior	n on listings in oth	ner states, pleas	se consult that
Chemical Inventor	ies							
United EUR States (EINE (TSCA) ELIN	CS/ (AICS)	Philippines (PICCS)	Car	nada	Korea (ECL)	Japan (ENCS/ ISHL)	China (IECSC)	New Zealand (NZIoC)
NL	P)		DOL	NUSE		,		,,
Yes Ye	s No	No	No	Yes	Yes	No	No	No
		16 - Addi	itional I	nformat	ion			

#### Key to Abbreviations:

NDA - NU uala available N/D - NUL uelennineu N/A - NUL applicable N/E - NU	NDA -	o data available N/D	- Not determined	N/A -	Not applicable	N/E -	Not established
--	-------	----------------------	------------------	-------	----------------	-------	-----------------

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND ZSCHIMMER & SCHWARZ INC. MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER. AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS. MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, ZSCHIMMER & SCHWARZ, INC. ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. ZSCHIMMER & SCHWARZ INC. REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES. EXISTING ACTS AND REGULATIONS MUST BE OBSERVED BY THE RECIPIENT OF OUR PRODUCTS UNDER THEIR OWN RESPONSIBILITY.

#### Date of Issue: March 3, 2015

Date of last revision: August 20, 2015